

HD/HDD 高密度结构系列接插件

HD/HDD series connectors

接插件针数 Number Of Contacts 7,8,15,25,40,50(2 x 25),64,80(2 x 40),128(2 x 64)+PE

接插件针数 Number Of Contacts 4,42,72,108,144(2 x 72),216(2 x 108)+PE

技术参数



	HD 接插体	HDD 接插体
接插体 Inserts		
工作电流 working current (见电流负载图 see current carrying capacity)	10 Amax.	10 Amax.
工作电压 working voltage	(8D IS 50V) 250V,insulation group C	250V,insulation group C
测试电压 test voltage urms	4kV(8D is 0.8KV)	2kV
隔离电阻 Insulation resistance	$\geq 10^{10}\Omega$	$\geq 10^{10}\Omega$
工作温度范围 temperature range	-40℃...+125℃	-40℃...+125℃
可拔插次数 mechanical working life-mating cycles	≥ 500	≥ 500
接插针 Contacts		
材料 material	铜 copper alloy	铜 copper alloy
表面处理 surface	镀银 hard silver-plated 镀金 hard gold-plated	镀银 hard silver-plated 镀金 hard gold-plated
接触电阻 contact resistance	$\leq 3m\Omega$	$\leq 3m\Omega$
接线形式 terminal	冷压接线 crimp terminal	冷压接线 crimp terminal
-mm ²	0.15-2.5mm ²	0.14-2.5mm ²
-AWG	26-44	26-44

电流曲线



电流负载能力 Current carrying capacity

电流负载能力所受的限制主要来自自己包含接插针的接插体可承受的最大温度。

The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.



- ① HD-007
- ② HD-015
- ③ HD-025
- ④ HD-040
- ⑤ HD-064



- ① HDD-024
- ② HDD-042
- ③ HDD-072
- ④ HDD-108

总览 Contents

型号 type	额定电压 rated voltage	额定电流 rated current	插针数 pole	弹片联接 crimp terminal	螺钉联接 screw terminal	接头螺纹 crimp terminal	轴向压接式 axial terminal	页码 page no.
HD-007	250V	10A	7+ 			●		H.04
HD-008	250V	10A	8+ 			●		H.06
HD-015	250V	10A	15+ 			●		H.08
HD-025	250V	10A	25+ 			●		H.10
HD-040	250V	10A	40+ 			●		H.12
HD-050	250V	10A	50+ 			●		H.14
HD-064	250V	10A	64+ 			●		H.16
HD-080	250V	10A	80+ 			●		H.18
HD-128	250V	10A	128+ 			●		H.20

型号 type	额定电压 rated voltage	额定电流 rated current	插针数 pole	弹片联接 crimp terminal	螺钉联接 screw terminal	编号 crimp terminal	轴向压接式 axial terminal	工业 page no.
HDD-024	250V	10A	24+ 			●		H.22
HDD-042	250V	10A	42+ 			●		H.24
HDD-072	250V	10A	72+ 			●		H.26
HDD-108	250V	10A	108+ 			●		H.28
HDD-144	250V	10A	144+ 			●		H.30
HDD-216	250V	10A	216+ 			●		H.32

HD-007插芯 HD-007 Inserts

250V, max.10A, H3A

7+ 


插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 lpye	订货号 order No.
公 male	HD-007-M	8650570000
母 female	HD-007-F	8650580000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



工具




Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HD	8866730000



重载连接器外壳 H3A

Hood & Housing SIZE H3A


插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M18	带螺纹 thread		49.2	H3A-UXMU-1M18G	8788810000
PG11	带螺纹 thread		49.2	H3A-UXMU-1PG11G	8652480000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	侧进 tpye	订货号 order No.
M18	带螺纹 thread		50	H3A-UPMU-1M18G	8788820000
PG11	带螺纹 thread		50	H3A-UPMU-1PG11G	8652470000




底座 Housing

防尘盖



Cover

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		53.5	H3A-LPMU	8788840000
直角 right-angle		53.5	H3A-LPMU	8652500000




穿体式插座外壳



Housing (panel mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M18	带螺纹 thread		25.8	H3A-TMU-1M18G	8788830000
PG11	带螺纹 thread		25.8	H3A-TMU-1PG11G	8652490000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M18	带螺纹 thread		53.5	H3A-LPMU-1M18G	8788840000
PG11	带螺纹 thread		53.5	H3A-LPMU-1PG11G	8652500000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M18	带螺纹 thread		54	H3A-FMU-1M18G	8900320000
PG13.5	带螺纹 thread		54	H3A-FMU-1PG11G	8900330000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座 for housing	H3A-CNM-200	8665750000
用于插头 for hood	H3A-CPM-200	8665740000



HD-008插芯 HD-008 Inserts

250V, max.10A, H3A

8+ 


插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 lpye	订货号 order No.
公 male	HA-007-M	8650590000
母 female	HA-007-F	8650600000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



工具




Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HD	8866730000



重载连接器外壳 H3A

Hood & Housing SIZE H3A


插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M18	带螺纹 thread		49.2	H3A-UXMU-1M18G	8788810000
PG11	带螺纹 thread		49.2	H3A-UXMU-1PG11G	8652480000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M18	带螺纹 thread		50	H3A-UPMU-1M18G	8788820000
PG11	带螺纹 thread		50	H3A-UPMU-1PG11G	8652470000




底座 Housing

防尘盖



Cover

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		53.5	H3A-LPMU	8788840000
直角 right-angle		53.5	H3A-LPMU	8652500000




穿体式插座外壳



Housing (panel mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M18	带螺纹 thread		25.8	H3A-TMU-1M18G	8788830000
PG11	带螺纹 thread		25.8	H3A-TMU-1PG11G	8652490000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M18	带螺纹 thread		53.5	H3A-LPMU-1M18G	8788840000
PG11	带螺纹 thread		53.5	H3A-LPMU-1PG11G	8652500000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M18	带螺纹 thread		54	H3A-FMU-1M18G	8900320000
PG13.5	带螺纹 thread		54	H3A-FMU-1PG11G	8900330000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座 for housing	H3A-CNM-200	8665750000
用于插头 for hood	H3A-CPM-200	8665740000




HD-015插芯 HD-015 Inserts

250V, max.10A, H10A

15+ 


插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HA-015-M	8650710000
母 female	HA-015-F	8650720000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



工具




Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HD	8866730000



重载连接器外壳 H10A

Hood & Housing SIZE H10A


插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		68	H10A-UTMUH-1M20G	8788860000
M24	带螺纹 thread		68	H10A-UTMUH-1M24G	8788850000
PG16	带螺纹 thread		68	H10A-UTMU-1PG16G	8663850000
PG16	带螺纹 thread		68	H10A-UTMU-1PG21G	8663870000




插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		54	H10A-UPMUH-1M20G	8788620000
M24	带螺纹 thread		54	H10A-UPMUH-1M24G	8788610000
PG16	带螺纹 thread		54	H10A-UPMU-1PG16G	8663930000
PG21	带螺纹 thread		68	H10A-UPMUH-1PG21G	8663990000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H10A-CPM-1MB	8668590000




底座 Housing

穿体式插座外壳



Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
带 with		37.5	H10A-BCMUH	8664060000
		25	H10A-BMU	8664040000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread	带 with	69.5	H10A-TCMU-2M20G	8788660000
M24	带螺纹 thread	带 with	69.5	H10A-TCMU-2M24G	8788650000
M20	带螺纹 thread		57	H10A-TMU-2M20G	8788640000
M24	带螺纹 thread		57	H10A-TMU-2M24G	8788630000
PG16	带螺纹 thread		57	H10A-TMU-2PG16G	8664190000
PG16	带螺纹 thread	带 with	69.5	H10A-TMUH-2PG16G	8664420000
PG21	带螺纹 thread		57	H10A-TMU-1PG21G	8664210000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		48	H10A-LMU-1M24G	8788670000
PG16	带螺纹 thread		48	H10A-LMU-1PG16G	8664560000
PG21	带螺纹 thread		62	H10A-LMUH-1PG21G	8664630000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H10A-CNM-2CO	8665880000



HD-025插芯 HD-025 Inserts

250V, max.10A, H16A
25+ 




插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 lpye	订货号 order No.
公 male	HA-025-M	8650810000
母 female	HA-025-F	8650820000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



工具




Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HD	8866730000



重载连接器外壳 H16A

Hood & Housing SIZE H16A




插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		58	H16A-UTMU-1M24G	8788740000
M20	带螺纹 thread		72	H16A-UTMUH-1M20G	8788680000
M24	带螺纹 thread		72	H16A-UTMUH-1M24G	8788690000
PG16	带螺纹 thread		72	H16A-UTMUH-1PG16G	8664690000
PG21	带螺纹 thread		58	H16A-UTMU-1PG21G	8664750000




插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		58	H16A-UPMU-1M24G	8788750000
M20	带螺纹 thread		72	H16A-UPMUH-1M20G	8788710000
M24	带螺纹 thread		72	H16A-UPMUG-1M24G	8788700000
PG16	带螺纹 thread		58	H16A-UPMU-1PG16G	8664810000
PG21	带螺纹 thread		72	H16A-UPMUH-1PG21G	8664870000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H16A-CPM-1MB	8665900000




底座 Housing

穿体式插座外壳



Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
带 with		44.5	H16A-BCMU	8664940000
		25	H16A-BMU	8664920000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread	带 with	76.5	H16A-TCMUH-2M20G	8788790000
M24	带螺纹 thread	带 with	76.5	H16A-TCMUH-2M24G	8788780000
M20	带螺纹 thread		57	H16A-TMU-2M20G	8788770000
M24	带螺纹 thread		57	H16A-TMU-2M24G	8788760000
PG16	带螺纹 thread		57	H16A-TMU-2PG16G	8665070000
PG21	带螺纹 thread		57	H16A-TMU-2PG21G	8665090000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		53	H16A-LMU-1M24G	8788800000
PG16	带螺纹 thread		53	H16A-LMU-1PG16G	8665450000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H16A-CNM-2CO	8665910000



HD-040插芯 HD-040 Inserts

250V, max.10A, H16B
40+ 




插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HD-040-M	8601710000
母 female	HD-040-F	8601730000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



工具




Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HD	8866730000



重载连接器外壳 H16B

Hood & Housing SIZE H16B

插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UTCU-1M24G	8788180000
M24	带螺纹 thread		76	H16B-UTCUH-1M24G	8787010000
M33	带螺纹 thread		76	H16B-UTCUH-1M33G	8787000000
★M33	带螺纹 thread		61	H16B-UTCU-1M33G	8809620000
PG21	带螺纹 thread		61	H16B-UTCU-1PG21G	8656480000
PG29	带螺纹 thread		76	H16B-UTCUH-1PG29G	8656540000





插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UPCU-1M24G	8788210000
M24	带螺纹 thread		76	H16B-UPCUH-1M24G	8787070000
M33	带螺纹 thread		76	H16B-UPCUH-1M33G	8787060000
★M33	带螺纹 thread		61	H16B-UPCU-1M33G	8756590000
PG21	带螺纹 thread		76	H16B-UPCUH-1PG21G	8656630000
PG29	带螺纹 thread		76	H16B-UPCUH-1PG29G	8656650000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H16B-CNR-2RB	8665270000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
★		29	H16B-BCU	8208600000
	带 with	47	H16B-BCCU	8210100000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H16B-TCU-2M24G	8788240000
M24	带螺纹 thread	带 with	84	H16B-TCUH-2M24G	8787120000
★M27	带螺纹 thread		84	H16B-TCUH-2M27G	8787110000
PG21	带螺纹 thread		64	H16B-TCU-2PG21G	8656730000
PG21	带螺纹 thread		84	H16B-TCUH-2PG21G	8656810000
PG29	带螺纹 thread		84	H16B-TCUH-1PG29G	8656830000
PG29	带螺纹 thread		84	H16B-TCUH-2PG29G	8656840000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		79	H16B-LCUH-1M24G	8787200000
★M27	带螺纹 thread		79	H16B-LCUH-1M27G	8787190000
PG21	带螺纹 thread		64	H16B-LCU-1PG21G	8657270000
PG21	带螺纹 thread		79	H16B-LCUH-1PG21G	8657310000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H16B-CPR-4CO	8665260000



注：带“★”为标配 sign “★” for standard support.

HD-050插芯 HD-050 Inserts

250V, max. 10A, H32A

50+ 





插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HA-025-M(1-25)	8650810000
母 female	HA-025-F(1-25)	8650820000
公 male	HA-025-M(26-50)	8650910000
母 female	HA-025-F(26-50)	8650920000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



Crimp Contacts


数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

工具



Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HD	8866730000



导线截面积 Wire gauge	剥线长度 Stripping length
0.50mm ²	AWG20 8mm
0.75mm ²	AWG18 8mm
1.00mm ²	AWG18 8mm
1.50mm ²	AWG16 8mm
2.50mm ²	AWG14 8mm

重载连接器外壳 H32A

Hood & Housing SIZE H32A




插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		75	H32A-UTCU-1M33G	8787960000
M36	带螺纹 thread		75	H32A-UTCU-1M36G	8787950000
PG21	带螺纹 thread		75	H32A-UTCU-1PG21G	8665670000
PG29	带螺纹 thread		75	H32A-UTCU-1PG29G	8665690000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		75	H32A-UPCU-1M33G	8787990000
PG16	带螺纹 thread		75	H32-UPCU-1PG21G	8665790000
PG29	带螺纹 thread		75	H32-UPCU-1PG29G	8665810000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
带 with		25	H32A-BCU	8665860000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		75	H32A-TCU-2M33G	8788040000
M36	带螺纹 thread		75	H32A-TCU-1M36G	8903870000
PG16	带螺纹 thread		75	H32A-TCU-2PG21G	8665980000
PG29	带螺纹 thread		75	H32A-TCU-1PG29G	8666010000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M36	带螺纹 thread		76.5	H32A-LCU-1M36G	8788080000
M33	带螺纹 thread		76.5	H32A-LCU-1M33G	8788070000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H32A-CPR-4CO	8665920000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H32A-CNR-2RB	8665930000



HD-064插芯 HD-064 Inserts


250V, max.10A, H24B

64+ 




插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 lpye	订货号 order No.
公 male	HD-064-M	8601720000
母 female	HD-064-F	8601740000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



Crimp Contacts


数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

工具



Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	订货号 order No.
退针工具 HD	8866730000



重载连接器外壳 H24B Hood & Housing SIZE H24B

插头外壳 Hood


插头外壳，侧面进线



插头外壳，顶部进线




防尘盖




Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UTCU-1M24G	8787760000
M33	带螺纹 thread		61	H24B-UTCU-1M33G	8787750000
M24	带螺纹 thread		76	H24B-UTCUH-1M24G	8786780000
M33	带螺纹 thread		76	H24B-UTCUH-1M33G	8786770000
★M36	带螺纹 thread		61	H24B-UTCU-1M36G	8661230000
PG21	带螺纹 thread		76	H24B-UTCUH-1PG21G	8661300000
PG29	带螺纹 thread		61	H24B-UTCU-1PG29G	8661240000




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UPCU-1M24G	8787820000
M33	带螺纹 thread		61	H24B-UPCU-1M33G	8787810000
M33	带螺纹 thread		76	H24B-UPCUH-1M33G	8786830000
★M36	带螺纹 thread		61	H24B-UPCU-1M36G	8661370000
PG21	带螺纹 thread		76	H24B-UPCUH-1PG21G	8661440000
PG29	带螺纹 thread		61	H24B-UPCU-1PG29G	8661380000
PG29	带螺纹 thread		76	H24B-UPCUH-1PG29G	8661460000



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H24B-CNR-2RB	8665640000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
★		29.3	H24B-BCU	8212400000
	带 with	51.3	H24B-BCCUH	8213300000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H24B-TCU-2M24G	8787870000
M27	带螺纹 thread		84	H24B-TCUH-2M27G	8786890000
M33	带螺纹 thread		84	H24B-TCUH-2M33G	8786880000
M33	带螺纹 thread	带 with	84	H24B-TCCUH-2M33G	8786920000
★M36	带螺纹 thread		64	H24B-TCU-2M36G	8661520000
PG21	带螺纹 thread		84	H24B-TCUH-2PG21G	8661590000
PG29	带螺纹 thread	带 with	84	H24B-TCCUH-2PG29G	8661630000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		65	H24B-LCU-1M24G	8787920000
M33	带螺纹 thread		79	H24B-LCUH-1M33G	8786960000
★M36	带螺纹 thread		65	H24B-LCU-1M36G	8661730000
PG29	带螺纹 thread		79	H24B-LCUH-1PG29G	8661730000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H24B-CPR-4CO	8665630000



注：带“★”为标配 sign “★” for standard support.

HD-080插芯 HD-080 Inserts


250V, max. 10A, H32B

80+ 






插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 type	订货号 order No.
公 male	HA-040-M(1-40)	8601710000
母 female	HA-040-F(1-40)	8601730000
公 male	HA-040-M(41-80)	8601610000
母 female	HA-040-F(41-80)	8601620000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



Crimp Contacts


数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

工具



Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HD	8866730000




导线截面积 Wire gauge	剥线长度 Stripping length
0.50mm ²	AWG20 8mm
0.75mm ²	AWG18 8mm
1.00mm ²	AWG18 8mm
1.50mm ²	AWG16 8mm
2.50mm ²	AWG14 8mm

HD-128插芯 HD-128 Inserts


250V, max. 10A, H48B

128+ 





插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 lpye	订货号 order No.
公 male	HD-064-M(1-64)	8601720000
母 female	HD-064-F(1-64)	8601740000
公 male	HD-064-M(65-64)	8601620000
母 female	HD-064-F(65-64)	8601640000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



Crimp Contacts


数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

工具



Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HD	8866730000



导线截面积 Wire gauge	剥线长度 Stripping length
0.50mm ²	AWG20 8mm
0.75mm ²	AWG18 8mm
1.00mm ²	AWG18 8mm
1.50mm ²	AWG16 8mm
2.50mm ²	AWG14 8mm

重载连接器外壳 H48B
Hood & Housing SIZE H48B




插头外壳 Hood

插头外壳，侧面进线




A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		94	H48B-UTMU-1M33G	8788320000
M40	带螺纹 thread		94	H48B-UTMU-1M40G	8788310000
M48	带螺纹 thread		94	H48B-UTMU-1M48G	8788300000
PG29	带螺纹 thread		94	H48B-UTMU-1PG29G	8650850000
PG36	带螺纹 thread		94	H48B-UTMU-1PG36G	8650860000
PG42	带螺纹 thread		94	H48B-UTMU-1PG42G	8670470000



插头外壳，顶部进线



A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		94	H48B-UPMU-1M33G	8788350000
M48	带螺纹 thread		94	H48B-UPMU-1M48G	8788330000
PG29	带螺纹 thread		94	H48B-UPMU-1PG29G	8650980000
PG36	带螺纹 thread		94	H48B-UPMU-1PG36G	8651000000




底座 Housing


穿体式插座外壳




描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
带 with		62	H48B-BCMU	8222900000



底座封闭型插座外壳



A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		100	H48B-TMU-1M33G	8904190000
M33	带螺纹 thread	带 with	120	H48B-TCMU-1M33G	8904150000
M33	带螺纹 thread		100	H48B-TMU-2M33G	8788370000
M33	带螺纹 thread	带 with	120	H48B-TCMU-2M33G	8788390000
M48	带螺纹 thread		100	H48B-TMU-2M48G	8788360000
PG29	带螺纹 thread		100	H48B-TMU-1PG29G	8651100000
PG29	带螺纹 thread	带 with	120	H48B-TCMU-1PG29G	8799810000
PG29	带螺纹 thread	带 with	120	H48B-TCMU-2PG29G	8667560000



重载连接器外壳 H06B

Hood & Housing SIZE H06B




插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H06B-UTMU-1M20G	8788100000
M20	带螺纹 thread		52	H06B-UTMUH-1M20G	8805860000
★M24	带螺纹 thread		52	H06B-UTMU-1M24G	8788090000
M24	带螺纹 thread		72	H06B-UTMUH-1M24G	8787480000
PG16	带螺纹 thread		52	H06B-UTMU-1PG16G	8652520000
PG21	带螺纹 thread		72	H06B-UTMUH-1PG21G	8652560000
PG29	带螺纹 thread		72	H06B-UTMUH-1PG29G	8652580000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H06B-UPMU-1M20G	8788120000
★M24	带螺纹 thread		52	H06B-UPMU-1M24G	8788110000
M24	带螺纹 thread		72	H06B-UPMUH-1M24G	8787500000
M33	带螺纹 thread		72	H06B-UPMUH-1M33G	8787490000
PG16	带螺纹 thread		52	H06B-UPMU-1PG16G	8652640000
PG21	带螺纹 thread		72	H06B-UPMUH-1PG21G	8652680000
PG29	带螺纹 thread		72	H06B-UPMUH-1PG29G	8652700000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H08B-CNM-1MB	8665210000




底座 Housing

穿体式插座外壳



Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
★		29	H06B-BMU	8202100000
	带 with	47	H06B-BCMU	8202500000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		54	H06B-TMU-2M20G	8788140000
M20	带螺纹 thread	带 with	72	H06B-TMUH-2M20G	8788170000
★M24	带螺纹 thread		54	H06B-TMU-2M24G	8788130000
M24	带螺纹 thread	带 with	72	H06B-TMUH-2M24G	8788160000
PG16	带螺纹 thread		54	H06B-TMU-2PG16G	8652760000
PG16	带螺纹 thread	带 with	72	H06B-TMUH-2PG16G	8652990000
PG21	带螺纹 thread		74	H06B-TMUH-2PG21G	8652840000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
★M24	带螺纹 thread		55	H06B-LMU-1M24G	1653200000
PG21	带螺纹 thread		75	H06B-LMUH-1PG21G	1653230000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H06B-CPR-2CO	8665200000



注：带“★”为标配 sign “★” for standard support.

重载连接器外壳 H10B

Hood & Housing SIZE H10B




插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H10B-UTCU-1M20G	8787560000
M30	带螺纹 thread		52	H10B-UTCU-1M30G	8787550000
M24	带螺纹 thread		72	H10B-UTCUH-1M24G	8787240000
M33	带螺纹 thread		72	H10B-UTCUH-1M33G	8787230000
PG16	带螺纹 thread		52	H10B-UTCU-1PG16G	8654070000
PG21	带螺纹 thread		52	H10B-UTCU-1PG21G	8654090000
PG29	带螺纹 thread		72	H10B-UTCUH-1PG29G	8654170000




插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H10B-UPCU-1M20G	8787600000
M30	带螺纹 thread		52	H10B-UPCU-1M30G	8787590000
M24	带螺纹 thread		72	H10B-UPCUH-1M24G	8787300000
M33	带螺纹 thread		72	H10B-UPCUH-1M33G	8787290000
PG16	带螺纹 thread		52	H10B-UPCU-1PG16G	8654220000
PG21	带螺纹 thread		72	H10B-UPCU-1PG21G	8654240000
PG29	带螺纹 thread		72	H10B-UPCUH-1PG29G	8654320000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H10B-CNR-2RB	8665240000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

表面 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29.3	H10B-BCU	8205000000
	带 with	51.6	H10B-BCCU	8206500000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		57	H10B-TCU-2M20G	8787640000
M30	带螺纹 thread	带 with	57	H10B-TCCU-2M30G	8787630000
M24	带螺纹 thread		74	H10B-TCUH-2M24G	8787350000
M33	带螺纹 thread		74	H10B-TCUH-2M33G	8787360000
PG16	带螺纹 thread		57	H10B-TCU-2PG16G	8654380000
PG21	带螺纹 thread		74	H10B-TCUH-2PG21G	8654450000
PG29	带螺纹 thread		74	H10B-TCUH-1PG29G	8654470000




对接外壳



Cable to Cable

A	描述 detail	冷压插 cover	B(mm)	型号 tpye	订货号 order No.
M30	带螺纹 thread		55	H10B-LCU-1M30G	8787720000
PG16	带螺纹 thread		55	H10B-LCU-1PG16G	8654580000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H10B-CPR-4CO	8665230000



HDD-072 插芯 HDD-072 Inserts

250V, max.10A, H16B

72+ 




插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HDD-072-M	8651190000
母 female	HDD-072-F	8651200000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



型号 Gold-plated



Crimp Contacts


数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

工具



Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HD	8866730000



重载连接器外壳 H16B

Hood & Housing SIZE H16B




插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UTCU-1M24G	8788180000
M24	带螺纹 thread		76	H16B-UTCUH-1M24G	8787010000
M33	带螺纹 thread		76	H16B-UTCUH-1M33G	8787000000
M40	带螺纹 thread		61	H16B-UTCU-1M40G	8809620000
PG21	型号 thread		61	H16B-UTCU-1PG21G	8656480000
PG29	带螺纹 thread		76	H16B-UTCUH-1PG29G	8656540000




插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UPCU-1M24G	8788210000
M24	带螺纹 thread		76	H16B-UPCUH-1M24G	8787070000
M33	带螺纹 thread		76	H16B-UPCUH-1M33G	8787060000
PG21	带螺纹 thread		61	H16B-UPCU-1PG21G	8756590000
PG21	带螺纹 thread		76	H16B-UPCUH-1PG21G	8656630000
PG29	带螺纹 thread		76	H16B-UPCUH-1PG29G	8656650000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H16B-CNR-2RB	8665270000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29	H16B-BCU	8208600000
带 with		47	H16B-BCCU	8210100000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H16B-TCU-2M24G	8788240000
M24	带螺纹 thread	带 with	84	H16B-TCUH-2M24G	8787120000
M33	带螺纹 thread		84	H16B-TCUH-2M33G	8787110000
PG21	带螺纹 thread		64	H16B-TCU-2PG21G	8656730000
PG21	带螺纹 thread		84	H16B-TCUH-2PG21G	8656810000
PG29	带螺纹 thread		84	H16B-TCUH-1PG29G	8656830000
PG29	带螺纹 thread		84	H16B-TCUH-2PG29G	8656840000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		79	H16B-LCUH-1M24G	8787200000
M33	带螺纹 thread		79	H16B-LCUH-1M33G	8787190000
PG21	带螺纹 thread		64	H16B-LCU-1PG21G	8657270000
PG21	带螺纹 thread		79	H16B-LCUH-1PG21G	8657310000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H16B-CPR-4CO	8665260000



HDD-108 插芯 HDD-108 Inserts

250V, max. 10A, H24B

108+ 




插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HDD-108-M	8651210000
母 female	HDD-108-F	8651220000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



Crimp Contacts


数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

工具



Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HD	8866730000



重载连接器外壳 H24B

Hood & Housing SIZE H24B




插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UTCU-1M24G	8787760000
M33	带螺纹 thread		61	H24B-UTCU-1M33G	8787750000
M24	带螺纹 thread		76	H24B-UTCUH-1M24G	8786780000
M33	带螺纹 thread		76	H24B-UTCUH-1M33G	8786770000
PG21	带螺纹 thread		61	H24B-UTCU-1PG21G	8661230000
PG21	带螺纹 thread		76	H24B-UTCUH-1PG21G	8661300000
PG29	带螺纹 thread		61	H24B-UTCU-1PG29G	8661240000




插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UPCU-1M24G	8787820000
M33	带螺纹 thread		61	H24B-UPCU-1M33G	8787810000
M33	带螺纹 thread		76	H24B-UPCUH-1M33G	8786830000
PG21	带螺纹 thread		61	H24B-UPCU-1PG21G	8661370000
PG21	带螺纹 thread		76	H24B-UPCUH-1PG21G	8661440000
PG29	带螺纹 thread		61	H24B-UPCU-1PG29G	8661380000
PG29	带螺纹 thread		76	H24B-UPCUH-1PG29G	8661460000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H24B-CNR-2RB	8665640000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29.3	H24B-BCU	8212400000
带 with		51.3	H24B-BCCUH	8213300000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H24B-TCU-2M24G	8787870000
M27	带螺纹 thread		84	H24B-TCUH-2M27G	8786890000
M33	带螺纹 thread		84	H24B-TCUH-2M33G	8786880000
M33	带螺纹 thread	带 with	84	H24B-TCCUH-2M33G	8786920000
PG21	带螺纹 thread		64	H24B-TCU-2PG21G	8661520000
PG21	带螺纹 thread		84	H24B-TCUH-2PG21G	8661590000
PG29	带螺纹 thread	带 with	84	H24B-TCCUH-2PG29G	8661630000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		65	H24B-LCU-1M24G	8787920000
M33	带螺纹 thread		79	H24B-LCUH-1M33G	8786960000
PG21	重载连 thread		65	H24B-LCU-1PG21G	8661730000
PG29	带螺纹 thread		79	H24B-LCUH-1PG29G	8661730000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H24B-CPR-4CO	8665630000



重载连接器外壳 H32B

Hood & Housing SIZE H32B




插头外壳 Hood

插头外壳，冷压连接



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		79	H32B-UTCU-1M33G	8788400000
PG29	带螺纹 thread		79	H32B-UTCU-1PG29G	8666840000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		79	H32B-UPCU-1M33G	8788430000
PG29	带螺纹 thread		79	H32B-UPCU-1PG29G	8666870000
PG29	带螺纹 thread		79	H32B-UPCU-1PG29V	8217300000




底座 Housing

穿体式插座外壳



Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		38	H32B-BCU	8217800000
带 with		55	H32B-BDMU	8219800000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		79	H32B-TCU-1M33G	8902600000
M33	带螺纹 thread		79	H32B-TCU-2M33G	8788460000
PG29	带螺纹 thread		79	H32B-TCU-2PG29G	8666920000
PG36	带螺纹 thread		79	H32B-TCU-1PG36G	8902610000
PG36	插座外 thread		79	H32B-TCU-2PG36G	8902640000
M33	带螺纹 thread	带 with	96	H32B-TCCUH-2M33G	8902650000
PG29	带螺纹 thread	带 with	96	H32B-TCCUH-2PG29G	5664870000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		83	H32B-LCU-1M33G	8902730000
PG39	带螺纹 thread		83	H32B-LCU-1PG29G	8902740000
PG29	带螺纹 thread		83	H32B-LCU-1PG36G	8902750000



HDD-216 插芯 HDD-216 Inserts

250V, max. 10A, H48B

216+ 






插芯 Inserts

冷压联接



Crimp terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HDD-108-M(1-108)	8651210000
母 female	HDD-108-F(1-108)	8651220000
公 male	HDD-108-M(109-216)	8650420000
母 female	HDD-108-F(109-216)	8650430000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



Crimp Contacts


数量 quantity	公 male	系列接 order No.	母 female	订货号 order No.
100	CDM-0.5	8651520000	CDF-0.5	8651570000
100	CDM-0.75	8651530000	CDF-0.75	8651580000
100	CDM-1.0	8601750000	CDF-1.0	8601760000
100	CDM-1.5	8651550000	CDF-1.5	8651600000
100	CDM-2.5	8651560000	CDF-2.5	8651610000
100	DDM-0.5	8651520000	DDF-0.5	8651670000
100	DDM-0.75	8651630000	DDF-0.75	8651680000
100	DDM-1.0	8651640000	DDF-1.0	8651690000
100	DDM-1.5	8651650000	DDF-1.5	8651700000
100	DDM-2.5	8651660000	DDF-2.5	8651710000

工具



Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HD	8866730000



导线截面积 Wire gauge 剥线长度 Stripping length

0.50mm ²	AWG20	8mm
0.75mm ²	AWG18	8mm
1.00mm ²	AWG18	8mm
1.50mm ²	AWG16	8mm
2.50mm ²	AWG14	8mm

重载连接器外壳 H48B




插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M32	带螺纹 thread		94	H48B-UTMU-1M32G	8788320000
M40	带螺纹 thread		94	H48B-UTMU-1M40G	8788310000
M50	测试力 thread		94	H48B-UTMU-1M50G	8788300000
PG29	带螺纹 thread		94	H48B-UTMU-1PG29G	8650850000
PG36	带螺纹 thread		94	H48B-UTMU-1PG36G	8650860000
PG42	带螺纹 thread		94	H48B-UTMU-1PG42G	8670470000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	冷压 tpye	订货号 order No.
M32	带螺纹 thread		94	H48B-UPMU-1M32G	8788350000
M50	带螺纹 thread		94	H48B-UPMU-1M50G	8788330000
PG29	带螺纹 thread		94	H48B-UPMU-1PG29G	8650980000
PG36	带螺纹 thread		94	H48B-UPMU-1PG36G	8651000000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	拧紧 tpye	订货号 order No.
带 with		62	H48B-BCMU	8222900000



底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	弹片压 order No.
M32	带螺纹 thread		100	H48B-TMU-1M32G	8904190000
M32	带螺纹 thread	带 with	120	H48B-TCMU-1M32G	8904150000
M32	带螺纹 thread		100	H48B-TMU-2M32G	8788370000
M32	带螺纹 thread	带 with	120	H48B-CTMU-2M32G	8788390000
M40	带螺纹 thread		100	H48B-TMU-2M40G	8788360000
PG29	带螺纹 thread		100	H48B-TMU-1PG29G	8651100000
PG29	带螺纹 thread	带 with	120	H48B-TCMU-1PG29G	8799810000
PG29	带螺纹 thread	带 with	120	H48B-TCMU-2PG29G	8667560000

