

HE/HEE标准结构系列接插件

HE/HEE series connectors

接插件针数 Number Of Contacts 6, 10, 16, 24, 32(2 x 16), 48(2 x 24)+PE

接插件针数 Number Of Contacts 10, 18, 32, 46, 64(2 x 32), 92(2 x 46)+PE

技术参数





	HE 接插体	HEE 接插体
接插体 Inserts		
工作电流 working current (见电流负载图 see current carrying capacity)	16 Amax.	16 Amax.
工作电压 working voltage	500V	500V
测试电压 test voltage urms	6kV	6kV
隔离电阻 Insulation resistance	$\geq 10^{10}\Omega$	$\geq 10^{10}\Omega$
工作温度范围 temperature range	-40°C...+125°C	-40°C...+125°C
可拔插次数 mechanical working life-mating cycles	≥ 500	≥ 500
接插针 Contacts		
材料 material	铜 copper alloy	铜 copper alloy
表面处理 surface	镀银 hard silver-plated	镀银 hard silver-plated
	镀金 hard gold-plated	镀金 hard gold-plated
接触电阻 contact resistance	$\leq 1m\Omega$	$\leq 1m\Omega$
接线形式 terminal	螺钉压接	螺钉压接
	screw terminal	screw terminal
	-mm ²	0.5-4.0mm ²
	-AWG	14
拧紧力矩 / 测试力矩 tightening/test torque	0.5 Nm	0.5 Nm

电流曲线

电流负载能力 Current carrying capacity

电流负载能力所受的限制主要来自自己包含接插针的接插体可承受的最大温度。

The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.



总览 Contents

型号 type	额定电压 rated voltage	额定电流 rated current	插针数 pole	弹片联接 crimp terminal	螺钉联接 screw terminal	冷压联接 crimp terminal	轴向压接式 axial terminal	页码 page no.
HE-006	500V	16A	6+ 	●	●	●		I.04
HE-010	500V	16A	10+ 	●	●	●		I.06
HE-016	500V	16A	16+ 	●	●	●		I.08
HE-024	500V	16A	24+ 	●	●	●		I.10
HE-032	500V	16A	32+ 	●	●	●		I.12
HE-048	500V	16A	48+ 	●	●	●		I.14

型号 type	额定电压 rated voltage	额定电流 rated current	插针数 pole	弹片联接 crimp terminal	螺钉联接 screw terminal	冷压联接 crimp terminal	轴向压接式 axial terminal	页码 page no.
HEE-010	500V	16A	10+ 		●			I.16
HEE-018	500V	16A	18+ 		●			I.18
HEE-032	500V	16A	32+ 		●			I.20
HEE-046	500V	16A	46+ 		●			I.22
HEE-064	500V	16A	64+ 		●			I.24
HEE-092	500V	16A	92+ 		●			I.26

HE-006插芯 HE-006 Inserts


500V, max.10A, H06B

6+ 



插芯 Inserts

螺钉联接



Screw terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HD-006-M	8200000000
母 female	HD-006-F	8200200000

弹片联接



Spring terminal




插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-006-MS	8745820000
母 female	HE-006-FS	8745760000

冷压联接



Crimp terminal


插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-006-MC	8200400000
母 female	HE-006-FC	8201000000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CEM-0.5	8200500000	CEF-0.5	8201100000
100	CEM-0.75	8200600000	CEF-0.75	8201200000
100	CEM-1.0	8200700000	CEF-1.0	8201300000
100	CEM-1.5	8200800000	CEF-1.5	8201400000
100	CEM-2.5	8200900000	CEF-2.5	8201500000
100	DEM-0.5	8651420000	DEF-0.5	8651470000
100	DEM-0.75	8651430000	DEF-0.75	8651480000
100	DEM-1.0	8651440000	DEF-1.0	8651490000
100	DEM-1.5	8651450000	DEF-1.5	8651500000
100	DEM-2.5	8651460000	DEF-2.5	8651510000

工具



Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	订货号 order No.
退针工具 HE	8866750000



导线截面积 Wire gauge	剥线长度 Stripping length
0.50mm ²	AWG20 7.5mm
0.75-1.00mm ²	AWG 18 7.5mm
1.50mm ²	AWG16 7.5mm
2.50mm ²	AWG 14 7.5mm
4.00mm ²	AWG12 7.5mm

重载连接器外壳 H06B

Hood & Housing SIZE H06B


插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H06B-UTMU-1M20G	8788100000
M20	带螺纹 thread		52	H06B-UTMUH-1M20G	8805860000
★M24	带螺纹 thread		52	H06B-UTMU-1M24G	8788090000
M24	带螺纹 thread		72	H06B-UTMUH-1M24G	8787480000
PG16	带螺纹 thread		52	H06B-UTMU-1PG16G	8652520000
PG21	带螺纹 thread		72	H06B-UTMUH-1PG21G	8652560000
PG29	带螺纹 thread		72	H06B-UTMUH-1PG29G	8652580000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H06B-UPMU-1M20G	8788120000
★M24	带螺纹 thread		52	H06B-UPMU-1M24G	8788110000
M24	带螺纹 thread		72	H06B-UPMUH-1M24G	8787500000
M33	带螺纹 thread		72	H06B-UPMUH-1M33G	8787490000
PG16	带螺纹 thread		52	H06B-UPMU-1PG16G	8652640000
PG21	带螺纹 thread		72	H06B-UPMUH-1PG21G	8652680000
PG29	带螺纹 thread		72	H06B-UPMUH-1PG29G	8652700000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H08B-CNM-1MB	8665210000




底座 Housing

穿体式插座外壳



Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
★		29	H06B-BMU	8202100000
	带 with	47	H06B-BCMU	8202500000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		54	H06B-TMU-2M20G	8788140000
M20	带螺纹 thread	带 with	72	H06B-TMUH-2M20G	8788170000
★M24	带螺纹 thread		54	H06B-TMU-2M24G	8788130000
M24	带螺纹 thread	带 with	72	H06B-TMUH-2M24G	8788160000
PG16	带螺纹 thread		54	H06B-TMU-2PG16G	8652760000
PG16	带螺纹 thread	带 with	72	H06B-TMUH-2PG16G	8652990000
PG21	带螺纹 thread		74	H06B-TMUH-2PG21G	8652840000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
★M24	带螺纹 thread		55	H06B-LMU-1M24G	1653200000
PG21	带螺纹 thread		75	H06B-LMUH-1PG21G	1653230000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H06B-CPR-2CO	8665200000



注：带“★”为标配 sign “★” for standard support.

HE-010插芯 HE-010 Inserts

500V, max.16A, H10B

10+ 

插芯 Inserts

螺钉联接



Screw terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-010-M	8203900000
母 female	HE-010-F	8203900000

弹片联接



Spring terminal


插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-010-MS	8204300000
母 female	HE-010-FS	8204400000

冷压联接



Crimp terminal


插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-010-MC	8204300000
母 female	HE-010-FC	8204400000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



工具




Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CEM-0.5	8200500000	CEF-0.5	8201100000
100	CEM-0.75	8200600000	CEF-0.75	8201200000
100	CEM-1.0	8200700000	CEF-1.0	8201300000
100	CEM-1.5	8200800000	CEF-1.5	8201400000
100	CEM-2.5	8200900000	CEF-2.5	8201500000
100	DEM-0.5	8651420000	DEF-0.5	8651470000
100	DEM-0.75	8651430000	DEF-0.75	8651480000
100	DEM-1.0	8651440000	DEF-1.0	8651490000
100	DEM-1.5	8651450000	DEF-1.5	8651500000
100	DEM-2.5	8651460000	DEF-2.5	8651510000

Tools

描述 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	订货号 order No.
退针工具 HE	8866750000



重载连接器外壳 H10B

Hood & Housing SIZE H10B


插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H10B-UTCU-1M20G	8787560000
★M30	带螺纹 thread		52	H10B-UTCU-1M30G	8787550000
M24	带螺纹 thread		72	H10B-UTCUH-1M24G	8787240000
M33	带螺纹 thread		72	H10B-UTCUH-1M33G	8787230000
PG16	压针工 thread		52	H10B-UTCU-1PG16G	8654070000
PG21	带螺纹 thread		52	H10B-UTCU-1PG21G	8654090000
PG29	带螺纹 thread		72	H10B-UTCUH-1PG29G	8654170000




插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H10B-UPCU-1M20G	8787600000
★M30	带螺纹 thread		52	H10B-UPCU-1M30G	8787590000
M24	带螺纹 thread		72	H10B-UPCUH-1M24G	8787300000
M33	带螺纹 thread		72	H10B-UPCUH-1M33G	8787290000
PG16	带螺纹 thread		52	H10B-UPCU-1PG16G	8654220000
PG21	带螺纹 thread		72	H10B-UPCU-1PG21G	8654240000
PG29	带螺纹 thread		72	H10B-UPCUH-1PG29G	8654320000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H10B-CNR-2RB	8665240000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
★		29.3	H10B-BCU	8205000000
	带 with	51.6	H10B-BCCU	8206500000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		57	H10B-TCU-2M20G	8787640000
★M30	带螺纹 thread	带 with	57	H10B-TCCU-2M30G	8787630000
M24	带螺纹 thread		74	H10B-TCUH-2M24G	8787350000
M33	带螺纹 thread		74	H10B-TCUH-2M33G	8787360000
PG16	带螺纹 thread		57	H10B-TCU-2PG16G	8654380000
PG21	带螺纹 thread		74	H10B-TCUH-2PG21G	8654450000
PG29	带螺纹 thread		74	H10B-TCUH-1PG29G	8654470000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
★M30	带螺纹 thread		55	H10B-LCU-1M30G	8787720000
PG16	带螺纹 thread		55	H10B-LCU-1PG16G	8654580000




防尘盖



Cover

防尘 detail	型号 tpye	带螺纹 order No.
用于插座外壳 for housing	H10B-CPR-4CO	8665230000



注：带“★”为标配 sign “★” for standard support.

HE-016插芯 HE-016 Inserts

500V, max.16A, H16B

16+ 



插芯 Inserts

螺钉联接



Screw terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-016-M	8207500000
母 female	HE-016-F	8207700000

弹片联接



Spring terminal




插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-016-MS	8745840000
母 female	HE-016-FS	8745780000

冷压联接



Crimp terminal


插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-016-MC	8207900000
母 female	HE-016-FC	8208000000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CEM-0.5	8200500000	CEF-0.5	8201100000
100	CEM-0.75	8200600000	CEF-0.75	8201200000
100	CEM-1.0	8200700000	CEF-1.0	8201300000
100	CEM-1.5	8200800000	CEF-1.5	8201400000
100	CEM-2.5	8200900000	CEF-2.5	8201500000
100	DEM-0.5	8651420000	DEF-0.5	8651470000
100	DEM-0.75	8651430000	DEF-0.75	8651480000
100	DEM-1.0	8651440000	DEF-1.0	8651490000
100	DEM-1.5	8651450000	DEF-1.5	8651500000
100	DEM-2.5	8651460000	DEF-2.5	8651510000

工具



Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	订货号 order No.
退针工具 HE	8866750000



导线截面积 Wire gauge	剥线长度 Stripping length
0.50mm ²	AWG20 7.5mm
0.75-1.00mm ²	AWG18 7.5mm
1.50mm ²	AWG16 7.5mm
2.50mm ²	AWG14 7.5mm
4.00mm ²	AWG12 7.5mm

重载连接器外壳 H16B

Hood & Housing SIZE H16B

插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UTCU-1M24G	8788180000
M24	带螺纹 thread		76	H16B-UTCUH-1M24G	8787010000
M33	带螺纹 thread		76	H16B-UTCUH-1M33G	8787000000
★M33	带螺纹 thread		61	H16B-UTCU-1M33G	8809620000
PG21	带螺纹 thread		61	H16B-UTCU-1PG21G	8656480000
PG29	带螺纹 thread		76	H16B-UTCUH-1PG29G	8656540000





插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UPCU-1M24G	8788210000
M24	带螺纹 thread		76	H16B-UPCUH-1M24G	8787070000
M33	带螺纹 thread		76	H16B-UPCUH-1M33G	8787060000
★M33	带螺纹 thread		61	H16B-UPCU-1M33G	8756590000
PG21	带螺纹 thread		76	H16B-UPCUH-1PG21G	8656630000
PG29	带螺纹 thread		76	H16B-UPCUH-1PG29G	8656650000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H16B-CNR-2RB	8665270000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
★		29	H16B-BCU	8208600000
	带 with	47	H16B-BCCU	8210100000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H16B-TCU-2M24G	8788240000
M24	带螺纹 thread	带 with	84	H16B-TCUH-2M24G	8787120000
★M27	带螺纹 thread		84	H16B-TCUH-2M27G	8787110000
PG21	带螺纹 thread		64	H16B-TCU-2PG21G	8656730000
PG21	带螺纹 thread		84	H16B-TCUH-2PG21G	8656810000
PG29	带螺纹 thread		84	H16B-TCUH-1PG29G	8656830000
PG29	带螺纹 thread		84	H16B-TCUH-2PG29G	8656840000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		79	H16B-LCUH-1M24G	8787200000
★M27	带螺纹 thread		79	H16B-LCUH-1M27G	8787190000
PG21	带螺纹 thread		64	H16B-LCU-1PG21G	8657270000
PG21	带螺纹 thread		79	H16B-LCUH-1PG21G	8657310000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H16B-CPR-4CO	8665260000



注：带“★”为标配 sign “★” for standard support.

HE-024插芯 HE-024 Inserts

500V, max.16A, H24B

24+ 



插芯 Inserts

螺钉联接



Screw terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-024-M	8211100000
母 female	HE-024-F	8211300000

弹片联接



Spring terminal


插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-024-MS	8745850000
母 female	HE-024-FS	8745790000

冷压联接



Crimp terminal


插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-024-MC	8211500000
母 female	HE-024-FC	8211600000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



Crimp Contacts


数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CEM-0.5	8200500000	CEF-0.5	8201100000
100	CEM-0.75	8200600000	CEF-0.75	8201200000
100	CEM-1.0	8200700000	CEF-1.0	8201300000
100	CEM-1.5	8200800000	CEF-1.5	8201400000
100	CEM-2.5	8200900000	CEF-2.5	8201500000
100	DEM-0.5	8651420000	DEF-0.5	8651470000
100	DEM-0.75	8651430000	DEF-0.75	8651480000
100	DEM-1.0	8651440000	DEF-1.0	8651490000
100	DEM-1.5	8651450000	DEF-1.5	8651500000
100	DEM-2.5	8651460000	DEF-2.5	8651510000

工具



Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	订货号 order No.
退针工具 HE	8866750000



重载连接器外壳 H24B

Hood & Housing SIZE H24B

插头外壳 Hood


插头外壳，侧面进线



插头外壳，顶部进线




防尘盖




Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UTCU-1M24G	8787760000
M33	带螺纹 thread		61	H24B-UTCU-1M33G	8787750000
M24	带螺纹 thread		76	H24B-UTCUH-1M24G	8786780000
M33	带螺纹 thread		76	H24B-UTCUH-1M33G	8786770000
★M36	带螺纹 thread		61	H24B-UTCU-1M36G	8661230000
PG21	带螺纹 thread		76	H24B-UTCUH-1PG21G	8661300000
PG29	带螺纹 thread		61	H24B-UTCU-1PG29G	8661240000




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UPCU-1M24G	8787820000
M33	带螺纹 thread		61	H24B-UPCU-1M33G	8787810000
M33	带螺纹 thread		76	H24B-UPCUH-1M33G	8786830000
★M36	带螺纹 thread		61	H24B-UPCU-1M36G	8661370000
PG21	带螺纹 thread		76	H24B-UPCUH-1PG21G	8661440000
PG29	带螺纹 thread		61	H24B-UPCU-1PG29G	8661380000
PG29	带螺纹 thread		76	H24B-UPCUH-1PG29G	8661460000



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H24B-CNR-2RB	8665640000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
★		29.3	H24B-BCU	8212400000
	带 with	51.3	H24B-BCCUH	8213300000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H24B-TCU-2M24G	8787870000
M27	带螺纹 thread		84	H24B-TCUH-2M27G	8786890000
M33	带螺纹 thread		84	H24B-TCUH-2M33G	8786880000
M33	带螺纹 thread	带 with	84	H24B-TCCUH-2M33G	8786920000
★M36	带螺纹 thread		64	H24B-TCU-2M36G	8661520000
PG21	带螺纹 thread		84	H24B-TCUH-2PG21G	8661590000
PG29	带螺纹 thread	带 with	84	H24B-TCCUH-2PG29G	8661630000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		65	H24B-LCU-1M24G	8787920000
M33	带螺纹 thread		79	H24B-LCUH-1M33G	8786960000
★M36	带螺纹 thread		65	H24B-LCU-1M36G	8661730000
PG29	带螺纹 thread		79	H24B-LCUH-1PG29G	8661730000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H24B-CPR-4CO	8665630000



注：带“★”为标配 sign “★” for standard support.

HE-032插芯 HE-032 Inserts

500V, max. 16A, H32B

32+ 

插芯 Inserts

螺钉联接



Screw terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-016-M(1-16)	8207500000
母 female	HE-016-F(1-16)	8207700000
公 male	HE-016-M(17-32)	8215700000
母 female	HE-016-F(17-32)	8216100000


弹片联接



Spring terminal


插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-016-MS(1-16)	8745840000
母 female	HE-016-FS(1-16)	8745780000
公 male	HE-016-MS(17-32)	8745860000
母 female	HE-016-FS(17-32)	8745800000

冷压联接




Crimp terminal


插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-016-MC(1-16)	8207900000
母 female	HE-016-FC(1-16)	8208000000
公 male	HE-016-MC(17-32)	8216500000
母 female	HE-016-FC(17-32)	8216700000



M



F



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



工具




Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CEM-0.5	8200500000	CEF-0.5	8201100000
100	CEM-0.75	8200600000	CEF-0.75	8201200000
100	CEM-1.0	8200700000	CEF-1.0	8201300000
100	CEM-1.5	8200800000	CEF-1.5	8201400000
100	CEM-2.5	8200900000	CEF-2.5	8201500000
100	DEM-0.5	8651420000	DEF-0.5	8651470000
100	DEM-0.75	8651430000	DEF-0.75	8651480000
100	DEM-1.0	8651440000	DEF-1.0	8651490000
100	DEM-1.5	8651450000	DEF-1.5	8651500000
100	DEM-2.5	8651460000	DEF-2.5	8651510000

Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	订货号 order No.
退针工具 HE	8866750000

导线截面积
Wire gauge剥线长度
Stripping length

0.50mm ²	AWG20	7.5mm
0.75-1.00mm ²	AWG 18	7.5mm
1.50mm ²	AWG16	7.5mm
2.50mm ²	AWG 14	7.5mm
4.00mm ²	AWG12	7.5mm

重载连接器外壳 H32B

Hood & Housing SIZE H32B


插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		79	H32B-UTCU-1M33G	8788400000
PG29	带螺纹 thread		79	H32B-UTCU-1PG29G	8666840000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		79	H32B-UPCU-1M33G	8788430000
PG29	带螺纹 thread		79	H32B-UPCU-1PG29G	8666870000
PG29	带螺纹 thread		79	H32B-UPCU-1PG29V	8217300000




底座 Housing

穿体式插座外壳



Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		38	H32B-BCU	8217800000
带 with		55	H32B-BDMU	8219800000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		79	H32B-TCU-1M33G	8902600000
M33	带螺纹 thread		79	H32B-TCU-2M33G	8788460000
PG29	带螺纹 thread		79	H32B-TCU-2PG29G	8666920000
PG36	带螺纹 thread		79	H32B-TCU-1PG36G	8902610000
PG36	带螺纹 thread		79	H32B-TCU-2PG36G	8902640000
M33	带螺纹 thread	带 with	96	H32B-TCCUH-2M33G	8902650000
PG29	带螺纹 thread	带 with	96	H32B-TCCUH-2PG29G	5664870000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		83	H32B-LCU-1M33G	8902730000
PG39	带螺纹 thread		83	H32B-LCU-1PG29G	8902740000
PG29	带螺纹 thread		83	H32B-LCU-1PG36G	8902750000




HE-048插芯 HE-048 Inserts

500V, max. 16A, H48B

48+ 

插芯 Inserts


螺钉联接



Screw terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-024-M(1-24)	8211100000
母 female	HE-024-F(1-24)	8211300000
公 male	HE-024-M(25-48)	8220800000
母 female	HE-024-F(25-48)	8221200000

弹片联接



Spring terminal




插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-024-MS(1-24)	8745850000
母 female	HE-024-FS(1-24)	8745790000
公 male	HE-024-MS(25-48)	8745870000
母 female	HE-024-FS(25-48)	8745810000

冷压联接



Crimp terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HE-024-MC(1-24)	8211500000
母 female	HE-024-FC(1-24)	8211600000
公 male	HE-024-MC(25-48)	8226400000
母 female	HE-024-FC(25-48)	8226600000



重载连接器外壳 H48B

Hood & Housing SIZE H48B


插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		94	H48B-UTMU-1M33G	8788320000
M40	带螺纹 thread		94	H48B-UTMU-1M40G	8788310000
M48	带螺纹 thread		94	H48B-UTMU-1M48G	8788300000
PG29	带螺纹 thread		94	H48B-UTMU-1PG29G	8650850000
PG36	带螺纹 thread		94	H48B-UTMU-1PG36G	8650860000
PG42	带螺纹 thread		94	H48B-UTMU-1PG42G	8670470000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		94	H48B-UPMU-1M33G	8788350000
M48	带螺纹 thread		94	H48B-UPMU-1M48G	8788330000
PG29	带螺纹 thread		94	H48B-UPMU-1PG29G	8650980000
PG36	带螺纹 thread		94	H48B-UPMU-1PG36G	8651000000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
带 with		62	H48B-BCMU	8222900000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		100	H48B-TMU-1M33G	8904190000
M33	带螺纹 thread	带 with	120	H48B-TCMU-1M33G	8904150000
M33	带螺纹 thread		100	H48B-TMU-2M33G	8788370000
M33	带螺纹 thread	带 with	120	H48B-TCMU-2M33G	8788390000
M48	带螺纹 thread		100	H48B-TMU-2M48G	8788360000
PG29	带螺纹 thread		100	H48B-TMU-1PG29G	8651100000
PG29	带螺纹 thread	带 with	120	H48B-TCMU-1PG29G	8799810000
PG29	带螺纹 thread	带 with	120	H48B-TCMU-2PG29G	8667560000



重载连接器外壳 H06B Hood & Housing SIZE H06B




插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H06B-UTMU-1M20G	8788100000
M20	带螺纹 thread		52	H06B-UTMUH-1M20G	8805860000
M24	带螺纹 thread		52	H06B-UTMU-1M24G	8788090000
M24	带螺纹 thread		72	H06B-UTMUH-1M24G	8787480000
PG16	带螺纹 thread		52	H06B-UTMU-1PG16G	8652520000
PG21	带螺纹 thread		72	H06B-UTMUH-1PG21G	8652560000
PG29	带螺纹 thread		72	H06B-UTMUH-1PG29G	8652580000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H06B-UPMU-1M20G	8788120000
M24	带螺纹 thread		52	H06B-UPMUH-1M24G	8788110000
M24	带螺纹 thread		72	H06B-UPMUH-1M24G	8787500000
M33	带螺纹 thread		72	H06B-UPMUH-1M33G	8787490000
PG16	带螺纹 thread		52	H06B-UPMU-1PG16G	8652640000
PG21	带螺纹 thread		72	H06B-UPMUH-1PG21G	8652680000
PG29	带螺纹 thread		72	H06B-UPMUH-1PG29G	8652700000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H08B-CNM-1MB	8665210000




底座 Housing

穿体式插座外壳



Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29	H06B-BMU	8202100000
	带 with	47	H06B-BCMU	8202500000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		54	H06B-TMU-2M20G	8788140000
M20	带螺纹 thread	带 with	72	H06B-TMUH-2M20G	8788170000
M24	带螺纹 thread		54	H06B-TMU-2M24G	8788130000
M24	带螺纹 thread	带 with	72	H06B-TMUH-2M24G	8788160000
PG16	带螺纹 thread		54	H06B-TMU-2PG16G	8652760000
PG16	带螺纹 thread	带 with	72	H06B-TMUH-2PG16G	8652990000
PG21	带螺纹 thread		74	H06B-TMUH-2PG21G	8652840000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		55	H06B-LMU-1M24G	1653200000
PG21	带螺纹 thread		75	H06B-LMUH-1PG21G	1653230000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H06B-CPR-2CO	8665200000



HEE-018 插芯 HEE-018 Inserts

500V, max.16A, H10B

18+ 




插芯 Inserts

螺钉联接



Screw terminal


插芯 inserts	型号 tpye	订货号 order No.
公 male	HEE-018-M	8826810000
母 female	HEE-018-F	8826820000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



工具




Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CEM-0.5	8200500000	CEF-0.5	8201100000
100	CEM-0.75	8200600000	CEF-0.75	8201200000
100	CEM-1.0	8200700000	CEF-1.0	8201300000
100	CEM-1.5	8200800000	CEF-1.5	8201400000
100	CEM-2.5	8200900000	CEF-2.5	8201500000
100	DEM-0.5	8651420000	DEF-0.5	8651470000
100	DEM-0.75	8651430000	DEF-0.75	8651480000
100	DEM-1.0	8651440000	DEF-1.0	8651490000
100	DEM-1.5	8651450000	DEF-1.5	8651500000
100	DEM-2.5	8651460000	DEF-2.5	8651510000

Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	订货号 order No.
退针工具 HE	8866750000



重载连接器外壳 H10B

Hood & Housing SIZE H10B

插头外壳 Hood


插头外壳，侧面进线



插头外壳，顶部进线




防尘盖




Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H10B-UTCU-1M20G	8787560000
M30	带螺纹 thread		52	H10B-UTCU-1M30G	8787550000
M24	带螺纹 thread		72	H10B-UTCUH-1M24G	8787240000
M33	带螺纹 thread		72	H10B-UTCUH-1M33G	8787230000
PG16	带螺纹 thread		52	H10B-UTCU-1PG16G	8654070000
PG21	带螺纹 thread		52	H10B-UTCU-1PG21G	8654090000
PG29	带螺纹 thread		72	H10B-UTCUH-1PG29G	8654170000




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H10B-UPCU-1M20G	8787600000
M30	带螺纹 thread		52	H10B-UPCU-1M30G	8787590000
M24	带螺纹 thread		72	H10B-UPCUH-1M24G	8787300000
M33	带螺纹 thread		72	H10B-UPCUH-1M33G	8787290000
PG16	带螺纹 thread		52	H10B-UPCU-1PG16G	8654220000
PG21	带螺纹 thread		72	H10B-UPCU-1PG21G	8654240000
PG29	带螺纹 thread		72	H10B-UPCUH-1PG29G	8654320000



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H10B-CNR-2RB	8665240000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29.3	H10B-BCU	8205000000
带 with		51.6	H10B-BCCU	8206500000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		57	H10B-TCU-2M20G	8787640000
M30	带螺纹 thread	带 with	57	H10B-TCCU-2M30G	8787630000
M24	带螺纹 thread		74	H10B-TCUH-2M24G	8787350000
M33	带螺纹 thread		74	H10B-TCUH-2M33G	8787360000
PG16	带螺纹 thread		57	H10B-TCU-2PG16G	8654380000
PG21	带螺纹 thread		74	H10B-TCUH-2PG21G	8654450000
PG29	带螺纹 thread		74	H10B-TCUH-1PG29G	8654470000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M30	带螺纹 thread		55	H10B-LCU-1M30G	8787720000
PG16	带螺纹 thread		55	H10B-LCU-1PG16G	8654580000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H10B-CPR-4CO	8665230000




HEE-032 插芯 HEE-032 Inserts

500V, max.16A, H16B

32+ 




插芯 Inserts

螺钉联接



Screw terminal


插芯 inserts	型号 type	订货号 order No.
公 male	HEE-032-M	8826790000
母 female	HEE-032-F	8826800000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



工具



Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CEM-0.5	8200500000	CEF-0.5	8201100000
100	CEM-0.75	8200600000	CEF-0.75	8201200000
100	CEM-1.0	8200700000	CEF-1.0	8201300000
100	CEM-1.5	8200800000	CEF-1.5	8201400000
100	CEM-2.5	8200900000	CEF-2.5	8201500000
100	DEM-0.5	8651420000	DEF-0.5	8651470000
100	DEM-0.75	8651430000	DEF-0.75	8651480000
100	DEM-1.0	8651440000	DEF-1.0	8651490000
100	DEM-1.5	8651450000	DEF-1.5	8651500000
100	DEM-2.5	8651460000	DEF-2.5	8651510000

Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HE	8866750000



导线截面积 Wire gauge	剥线长度 Stripping length
0.50mm ²	AWG20 7.5mm
0.75-1.00mm ²	AWG18 7.5mm
1.50mm ²	AWG16 7.5mm
2.50mm ²	AWG14 7.5mm
4.00mm ²	AWG12 7.5mm

重载连接器外壳 H16B

Hood & Housing SIZE H16B

插头外壳 Hood


插头外壳，侧面进线



插头外壳，顶部进线



防尘盖



Hood (side entry)




A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UTCU-1M24G	8788180000
M24	带螺纹 thread		76	H16B-UTCUH-1M24G	8787010000
M33	带螺纹 thread		76	H16B-UTCUH-1M33G	8787000000
M40	带螺纹 thread		61	H16B-UTCU-1M40G	8809620000
PG21	带螺纹 thread		61	H16B-UTCU-1PG21G	8656480000
PG29	带螺纹 thread		76	H16B-UTCUH-1PG29G	8656540000

Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UPCU-1M24G	8788210000
M24	带螺纹 thread		76	H16B-UPCUH-1M24G	8787070000
M33	带螺纹 thread		76	H16B-UPCUH-1M33G	8787060000
PG21	带螺纹 thread		61	H16B-UPCU-1PG21G	8756590000
PG21	带螺纹 thread		76	H16B-UPCUH-1PG21G	8656630000
PG29	带螺纹 thread		76	H16B-UPCUH-1PG29G	8656650000

Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H16B-CNR-2RB	8665270000




底座 Housing

穿体式插座外壳



底座封闭型插座外壳



对接外壳



防尘盖



Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29	H16B-BCU	8208600000
带 with		47	H16B-BCCU	8210100000

Housing (surface mount base)





A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H16B-TCU-2M24G	8788240000
M24	带螺纹 thread	带 with	84	H16B-TCUH-2M24G	8787120000
M33	带螺纹 thread		84	H16B-TCUH-2M33G	8787110000
PG21	带螺纹 thread		64	H16B-TCU-2PG21G	8656730000
PG21	带螺纹 thread		84	H16B-TCUH-2PG21G	8656810000
PG29	带螺纹 thread		84	H16B-TCUH-1PG29G	8656830000
PG29	带螺纹 thread		84	H16B-TCUH-2PG29G	8656840000

Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		79	H16B-LCUH-1M24G	8787200000
M33	带螺纹 thread		79	H16B-LCUH-1M33G	8787190000
PG21	带螺纹 thread		64	H16B-LCU-1PG21G	8657270000
PG21	带螺纹 thread		79	H16B-LCUH-1PG21G	8657310000

Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H16B-CPR-4CO	8665260000



HEE-046 插芯 HEE-046 Inserts

500V, max.16A, H24B

46+ 




插芯 Inserts

螺钉联接



Screw terminal


插芯 inserts	型号 tpye	订货号 order No.
公 male	HEE-046-M	8826770000
母 female	HEE-046-F	8826780000



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



工具




Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CEM-0.5	8200500000	CEF-0.5	8201100000
100	CEM-0.75	8200600000	CEF-0.75	8201200000
100	CEM-1.0	8200700000	CEF-1.0	8201300000
100	CEM-1.5	8200800000	CEF-1.5	8201400000
100	CEM-2.5	8200900000	CEF-2.5	8201500000
100	DEM-0.5	8651420000	DEF-0.5	8651470000
100	DEM-0.75	8651430000	DEF-0.75	8651480000
100	DEM-1.0	8651440000	DEF-1.0	8651490000
100	DEM-1.5	8651450000	DEF-1.5	8651500000
100	DEM-2.5	8651460000	DEF-2.5	8651510000

Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	
退针工具 HE	8866750000



重载连接器外壳 H24B

Hood & Housing SIZE H24B




插头外壳 Hood


插头外壳，侧面进线



插头外壳，顶部进线




防尘盖




Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UTCU-1M24G	8787760000
M33	带螺纹 thread		61	H24B-UTCU-1M33G	8787750000
M24	带螺纹 thread		76	H24B-UTCUH-1M24G	8786780000
M33	带螺纹 thread		76	H24B-UTCUH-1M33G	8786770000
PG21	带螺纹 thread		61	H24B-UTCU-1PG21G	8661230000
PG21	带螺纹 thread		76	H24B-UTCUH-1PG21G	8661300000
PG29	带螺纹 thread		61	H24B-UTCU-1PG29G	8661240000




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UPCU-1M24G	8787820000
M33	带螺纹 thread		61	H24B-UPCU-1M33G	8787810000
M33	带螺纹 thread		76	H24B-UPCUH-1M33G	8786830000
PG21	带螺纹 thread		61	H24B-UPCU-1PG21G	8661370000
PG21	带螺纹 thread		76	H24B-UPCUH-1PG21G	8661440000
PG29	带螺纹 thread		61	H24B-UPCU-1PG29G	8661380000
PG29	带螺纹 thread		76	H24B-UPCUH-1PG29G	8661460000



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H24B-CNR-2RB	8665640000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29.3	H24B-BCU	8212400000
带 with		51.3	H24B-BCCUH	8213300000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H24B-TCU-2M24G	8787870000
M27	带螺纹 thread		84	H24B-TCUH-2M27G	8786890000
M33	带螺纹 thread		84	H24B-TCUH-2M33G	8786880000
M33	带螺纹 thread	带 with	84	H24B-TCCUH-2M33G	8786920000
PG21	带螺纹 thread		64	H24B-TCU-2PG21G	8661520000
PG21	带螺纹 thread		84	H24B-TCUH-2PG21G	8661590000
PG29	带螺纹 thread	带 with	84	H24B-TCCUH-2PG29G	8661630000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		65	H24B-LCU-1M24G	8787920000
M33	带螺纹 thread		79	H24B-LCUH-1M33G	8786960000
PG21	带螺纹 thread		65	H24B-LCU-1PG21G	8661730000
PG29	带螺纹 thread		79	H24B-LCUH-1PG29G	8661730000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H24B-CPR-4CO	8665630000



HEE-064 插芯 HEE-064 Inserts

500V, max.16A, H32B

64+ 




插芯 Inserts

螺钉联接




Screw terminal


插芯 inserts	型号 tpye	订货号 order No.
公 male	HEE-032-M(1-32)	8826520000
母 female	HEE-032-F(1-32)	8826530000
公 male	HEE-032-M(33-64)	8826510000
母 female	HEE-032-F(33-64)	8826500000



M




F



零配件 Accessory

冷压插针

表面镀银 Silver-plated



表面镀金 Gold-plated



工具



Crimp Contacts

数量 quantity	公 male	订货号 order No.	母 female	订货号 order No.
100	CEM-0.5	8200500000	CEF-0.5	8201100000
100	CEM-0.75	8200600000	CEF-0.75	8201200000
100	CEM-1.0	8200700000	CEF-1.0	8201300000
100	CEM-1.5	8200800000	CEF-1.5	8201400000
100	CEM-2.5	8200900000	CEF-2.5	8201500000
100	DEM-0.5	8651420000	DEF-0.5	8651470000
100	DEM-0.75	8651430000	DEF-0.75	8651480000
100	DEM-1.0	8651440000	DEF-1.0	8651490000
100	DEM-1.5	8651450000	DEF-1.5	8651500000
100	DEM-2.5	8651460000	DEF-2.5	8651510000

Tools

压针工具 crimping tool	订货号 order No.
CHW-0.5/4	8018490000
退针工具 removal tool	订货号 order No.
退针工具 HE	8866750000



导线截面积 Wire gauge	剥线长度 Stripping length
0.50mm ²	AWG20 7.5mm
0.75-1.00mm ²	AWG 18 7.5mm
1.50mm ²	AWG16 7.5mm
2.50mm ²	AWG 14 7.5mm
4.00mm ²	AWG12 7.5mm

重载连接器外壳 H32B

Hood & Housing SIZE H32B


插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		79	H32B-UTCU-1M33G	8788400000
PG29	带螺纹 thread		79	H32B-UTCU-1PG29G	8666840000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		79	H32B-UPCU-1M33G	8788430000
PG29	带螺纹 thread		79	H32B-UPCU-1PG29G	8666870000
PG29	带螺纹 thread		79	H32B-UPCU-1PG29V	8217300000




底座 Housing

穿体式插座外壳



Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		38	H32B-BCU	8217800000
	带 with	55	H32B-BDMU	8219800000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		79	H32B-TCU-1M33G	8902600000
M33	带螺纹 thread		79	H32B-TCU-2M33G	8788460000
PG29	带螺纹 thread		79	H32B-TCU-2PG29G	8666920000
PG36	带螺纹 thread		79	H32B-TCU-1PG36G	8902610000
PG36	带螺纹 thread		79	H32B-TCU-2PG36G	8902640000
M33	带螺纹 thread	带 with	96	H32B-TCCUH-2M33G	8902650000
PG29	带螺纹 thread	带 with	96	H32B-TCCUH-2PG29G	5664870000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		83	H32B-LCU-1M33G	8902730000
PG39	带螺纹 thread		83	H32B-LCU-1PG29G	8902740000
PG29	带螺纹 thread		83	H32B-LCU-1PG36G	8902750000



重载连接器外壳 H48B

Hood & Housing SIZE H48B




插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		94	H48B-UTMU-1M33G	8788320000
M40	带螺纹 thread		94	H48B-UTMU-1M40G	8788310000
M48	带螺纹 thread		94	H48B-UTMU-1M48G	8788300000
PG29	带螺纹 thread		94	H48B-UTMU-1PG29G	8650850000
PG36	带螺纹 thread		94	H48B-UTMU-1PG36G	8650860000
PG42	带螺纹 thread		94	H48B-UTMU-1PG42G	8670470000




插头外壳，顶部进线



Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		94	H48B-UPMU-1M33G	8788350000
M48	带螺纹 thread		94	H48B-UPMU-1M48G	8788330000
PG29	带螺纹 thread		94	H48B-UPMU-1PG29G	8650980000
PG36	带螺纹 thread		94	H48B-UPMU-1PG36G	8651000000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
	带 with	62	H48B-BCMU	8222900000



底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M33	带螺纹 thread		100	H48B-TMU-1M33G	8904190000
M33	带螺纹 thread	带 with	120	H48B-TCMU-1M33G	8904150000
M33	带螺纹 thread		100	H48B-TMU-2M33G	8788370000
M33	带螺纹 thread	带 with	120	H48B-TCMU-2M33G	8788390000
M48	带螺纹 thread		100	H48B-TMU-2M48G	8788360000
PG29	带螺纹 thread		100	H48B-TMU-1PG29G	8651100000
PG29	带螺纹 thread	带 with	120	H48B-TCMU-1PG29G	8799810000
PG29	带螺纹 thread	带 with	120	H48B-TCMU-2PG29G	8667560000

