

HK/HWK 组合型系列接插件

HK/HWK series combine connectors

接插件针数 Number Of Contacts	4/0,4/2+PE
接插件针数 Number Of Contacts	6/12+PE
接插件针数 Number Of Contacts	12/2+PE
接插件针数 Number Of Contacts	6/36+PE
接插件针数 Number Of Contacts	4/8+PE
接插件针数 Number Of Contacts	6/6+PE
接插件针数 Number Of Contacts	8/24+PE

技术参数

	HK4/0,4/2	HK6/12	HK12/2	HK6/36
接插体 Inserts				
工作电流 working current (见电流负载图 see current carrying capacity)	80 Amax.	40/16 Amax.	40/10 Amax.	40/10 Amax.
工作电压 working voltage	100V	690/400V	500/250V	690/250V
测试电压 test voltage urms	16kV	6/4kV	6/4kV	3/2kV
隔离电阻 Insulation resistance	≥ 10 ¹⁰ Ω	≥ 10 ¹⁰ Ω	≥ 10 ¹⁰ Ω	≥ 10 ¹⁰ Ω
工作温度范围 temperature range	-40℃...+125℃	-40℃...+125℃	-40℃...+125℃	-40℃...+125℃
可拔插次数 mechanical working life-mating cycles	≥ 500	≥ 500	≥ 500	≥ 500
接插针 Contacts				
材料 material	铜 copper alloy	铜 copper alloy	铜 copper alloy	铜 copper alloy
表面处理 surface	镀银 hard silver-plated 镀金 hard gold-plated	镀银 hard silver-plated 镀金 hard gold-plated	镀银 hard silver-plated 镀金 hard gold-plated	镀银 hard silver-plated 镀金 hard gold-plated
接触电阻 contact resistance	≤ 1mΩ	≤ 1mΩ	≤ 1mΩ	≤ 1mΩ
接线形式 terminal	螺钉压接 screw terminal	螺钉压接 screw terminal	冷压压接 crimp terminal	冷压压接 crimp terminal
-mm ²	1.5-16mm ² /0.5-2.5mm ²	0.5-2.5mm ² /2.5-10mm ²	1.5-6.0mm ² /0.14-2.5mm ²	1.5-6.0mm ² /0.14-2.5mm ²
-AWG	16-6/20-14	24-14/14-8	16-10/26-14	16-10/26-14
拧紧力矩 / 测试力矩 tightening/test torque	1.2 Nm/0.5 Nm	0.8 Nm		

	HK4/8	HK6/6	HK8/24
接插体 Inserts			
工作电流 working current (见电流负载图 see current carrying capacity)	80 Amax.	100 Amax.	16/10 Amax.
工作电压 working voltage	HK4/8(power) 690V HK4/8(signal) 400V	HK6/6(power) 690V HK6/6(signal) 400V	400/250v
测试电压 test voltage urms	6kV	8kV	3kV/2kV
隔离电阻 Insulation resistance	≥ 10 ¹⁰ Ω	≥ 10 ¹⁰ Ω	≥ 10 ¹⁰ Ω
工作温度范围 temperature range	-40℃...+125℃	-40℃...+125℃	-40℃...+125℃
可拔插次数 mechanical working life-mating cycles	≥ 500	≥ 500	≥ 500
接插针 Contacts			
材料 material	铜 copper alloy	铜 copper alloy	铜 copper alloy
表面处理 surface	镀银 hard silver-plated 镀金 hard gold-plated	镀银 hard silver-plated 镀金 hard gold-plated	镀银 hard silver-plated 镀金 hard gold-plated
接触电阻 contact resistance	≤ 1mΩ	≤ 3mΩ	≤ 1mΩ
接线形式 terminal	螺钉压接 screw terminal	轴向压接式 axial screw	冷压压接 crimp terminal
-mm ²	1.5-16mm ² /0.5-2.5mm ²	16-35mm ² /0.5-2.5mm ²	0.5-4.0mm ² /0.14-2.5mm ²
-AWG	16-6/20-14	5-2/24-14	20-12/25-14
拧紧力矩 / 测试力矩 tightening/test torque	0.8 Nm/0.5 Nm	6 Nm/0.8 Nm	

总览 Contents

型号 type	额定电压 rated voltage	额定电流 rated current	插针数 pole	弹片联接 crimp terminal	螺钉联接 screw terminal	冷压联接 crimp terminal	轴向压接式 axial terminal	页码 page no.
HK4/0	690V	80A	4+ 		●			M.06
HK4/2	690V	80A	4+2+ 		●			M.06
HK6/12-018	690V	40A	6+12+ 		●			M.08
HK12/2-014	500V	40A	12+2+ 		●			M.10
HK6/36-042	690V	40A	6+36+ 		●			M.12
HK4/8-012	690V	80A	4+8+ 		●			M.14
HK6/6-012	690V	100A	6+6+ 		●		●	M.16
HK8/24-032	400V	16A	8+24+ 		●			M.18
HWK4/6-010	690V	35A	4+6+ 		●			M.20
HWK6/6-012	690V	35A	6+6+ 		●			M.22
HWK3/3/6-012	690V	100A	3+3+6+ 		●			M.24


技术参数

电流曲线

电流负载能力 Current carrying capacity

电流负载能力所受的限制主要来自自己包含接插针的接插体可承受的最大温度。

The current carrying is limited by maximum temperature of materials for inserts and contacts including terminals.




环境温度
Ambient temperature

HK4/0,4/2

① 线径 wire gauge: 16mm²

② 线径 wire gauge: 10mm²




环境温度
Ambient temperature

HK6/12

① 线径 wire gauge: 10mm²

② 线径 wire gauge: 6mm²

③ 线径 wire gauge: 4mm²




环境温度
Ambient temperature

HK12/2

① 线径 wire gauge: 6mm²

② 线径 wire gauge: 4mm²



环境温度
Ambient temperature


HK6/36

① 线径 wire gauge: 6mm²

② 线径 wire gauge: 4mm²

技术参数

电流曲线




环境温度
Ambient temperature

HK4/8

① 线径 wire gauge: 16mm²

② 线径 wire gauge: 10mm²




环境温度
Ambient temperature

HK6/6

① 线径 wire gauge: 35mm²

② 线径 wire gauge: 25mm²

③ 线径 wire gauge: 16mm²



环境温度
Ambient temperature

HK8/24

① 线径 wire gauge: 4.0mm²

② 线径 wire gauge: 2.5mm²

HK-004插芯 HK-004 Inserts

690/400V, max.80/16A, H16B

4/0+⊕




插芯 Inserts

螺钉联接



Screw terminal		
插芯 inserts	型号 tpye	订货号 order No.
公 male	HK4/0-004-M	8789960000
母 female	HK4/0-004-F	8789970000




690/400V, max.80/16A, H16B

4/2+⊕

螺钉联接



Screw terminal		
插芯 inserts	型号 tpye	订货号 order No.
公 male	HK4/2-004-M	8789990000
母 female	HK4/2-004-F	8789980000



重载连接器外壳 H16B

Hood & Housing SIZE H16B




插头外壳 Hood

插头外壳，侧面进线




Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UTCU-1M24G	8788180000
M24	带螺纹 thread		76	H16B-UTCUH-1M24G	8787010000
M33	带螺纹 thread		76	H16B-UTCUH-1M33G	8787000000
M40	带螺纹 thread		61	H16B-UTCU-1M40G	8809620000
PG21	带螺纹 thread		61	H16B-UTCU-1PG21G	8656480000
PG29	带螺纹 thread		76	H16B-UTCUH-1PG29G	8656540000




插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UPCU-1M24G	8788210000
M24	带螺纹 thread		76	H16B-UPCUH-1M24G	8787070000
M33	带螺纹 thread		76	H16B-UPCUH-1M33G	8787060000
PG21	带螺纹 thread		61	H16B-UPCU-1PG21G	8756590000
PG21	带螺纹 thread		76	H16B-UPCUH-1PG21G	8656630000
PG29	带螺纹 thread		76	H16B-UPCUH-1PG29G	8656650000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H16B-CNR-2RB	8665270000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29	H16B-BCU	8208600000
带 with		47	H16B-BCCU	8210100000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H16B-TCU-2M24G	8788240000
M24	带螺纹 thread	带 with	84	H16B-TCUH-2M24G	8787120000
M33	带螺纹 thread		84	H16B-TCUH-2M33G	8787110000
PG21	带螺纹 thread		64	H16B-TCU-2PG21G	8656730000
PG21	带螺纹 thread		84	H16B-TCUH-2PG21G	8656810000
PG29	带螺纹 thread		84	H16B-TCUH-1PG29G	8656830000
PG29	带螺纹 thread		84	H16B-TCUH-2PG29G	8656840000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		79	H16B-LCUH-1M24G	8787200000
M33	带螺纹 thread		79	H16B-LCUH-1M33G	8787190000
PG21	带螺纹 thread		64	H16B-LCU-1PG21G	8657270000
PG21	带螺纹 thread		79	H16B-LCUH-1PG21G	8657310000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H16B-CPR-4CO	8665260000



HK-018插芯 HK-018 Inserts

690/400V, max.40/16A, H16B

6/12+ 




插芯 Inserts

螺钉联接



Screw terminal

插芯 inserts	型号 type	订货号 order No.
公 male	HK6/12-018-M	8790000000
母 female	HK6/12-018-F	8790010000



重载连接器外壳 H16B

Hood & Housing SIZE H16B




插头外壳 Hood

插头外壳，侧面进线




Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UTCU-1M24G	8788180000
M24	带螺纹 thread		76	H16B-UTCUH-1M24G	8787010000
M33	带螺纹 thread		76	H16B-UTCUH-1M33G	8787000000
M40	带螺纹 thread		61	H16B-UTCU-1M40G	8809620000
PG21	带螺纹 thread		61	H16B-UTCU-1PG21G	8656480000
PG29	带螺纹 thread		76	H16B-UTCUH-1PG29G	8656540000




插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UPCU-1M24G	8788210000
M24	带螺纹 thread		76	H16B-UPCUH-1M24G	8787070000
M33	带螺纹 thread		76	H16B-UPCUH-1M33G	8787060000
PG21	带螺纹 thread		61	H16B-UPCU-1PG21G	8756590000
PG21	带螺纹 thread		76	H16B-UPCUH-1PG21G	8656630000
PG29	带螺纹 thread		76	H16B-UPCUH-1PG29G	8656650000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H16B-CNR-2RB	8665270000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29	H16B-BCU	8208600000
	带 with	47	H16B-BCCU	8210100000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H16B-TCU-2M24G	8788240000
M24	带螺纹 thread	带 with	84	H16B-TCUH-2M24G	8787120000
M33	带螺纹 thread		84	H16B-TCUH-2M33G	8787110000
PG21	带螺纹 thread		64	H16B-TCU-2PG21G	8656730000
PG21	带螺纹 thread		84	H16B-TCUH-2PG21G	8656810000
PG29	带螺纹 thread		84	H16B-TCUH-1PG29G	8656830000
PG29	带螺纹 thread		84	H16B-TCUH-2PG29G	8656840000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		79	H16B-LCUH-1M24G	8787200000
M33	带螺纹 thread		79	H16B-LCUH-1M33G	8787190000
PG21	带螺纹 thread		64	H16B-LCU-1PG21G	8657270000
PG21	带螺纹 thread		79	H16B-LCUH-1PG21G	8657310000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H16B-CPR-4CO	8665260000



HK-014插芯 HK-014 Inserts


500/250V, max.40/10A, H16B

12/2+ 




插芯 Inserts

螺钉联接



Screw terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HK12/2-014-M	8790080000
母 female	HK12/2-014-F	8790090000



重载连接器外壳 H16B

Hood & Housing SIZE H16B




插头外壳 Hood

插头外壳，侧面进线




Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UTCU-1M24G	8788180000
M24	带螺纹 thread		76	H16B-UTCUH-1M24G	8787010000
M33	带螺纹 thread		76	H16B-UTCUH-1M33G	8787000000
M40	带螺纹 thread		61	H16B-UTCU-1M40G	8809620000
PG21	带螺纹 thread		61	H16B-UTCU-1PG21G	8656480000
PG29	带螺纹 thread		76	H16B-UTCUH-1PG29G	8656540000




插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UPCU-1M24G	8788210000
M24	带螺纹 thread		76	H16B-UPCUH-1M24G	8787070000
M33	带螺纹 thread		76	H16B-UPCUH-1M33G	8787060000
PG21	带螺纹 thread		61	H16B-UPCU-1PG21G	8756590000
PG21	带螺纹 thread		76	H16B-UPCUH-1PG21G	8656630000
PG29	带螺纹 thread		76	H16B-UPCUH-1PG29G	8656650000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H16B-CNR-2RB	8665270000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29	H16B-BCU	8208600000
	带 with	47	H16B-BCCU	8210100000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H16B-TCU-2M24G	8788240000
M24	带螺纹 thread	带 with	84	H16B-TCUH-2M24G	8787120000
M33	带螺纹 thread		84	H16B-TCUH-2M33G	8787110000
PG21	带螺纹 thread		64	H16B-TCU-2PG21G	8656730000
PG21	带螺纹 thread		84	H16B-TCUH-2PG21G	8656810000
PG29	带螺纹 thread		84	H16B-TCUH-1PG29G	8656830000
PG29	带螺纹 thread		84	H16B-TCUH-2PG29G	8656840000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		79	H16B-LCUH-1M24G	8787200000
M33	带螺纹 thread		79	H16B-LCUH-1M33G	8787190000
PG21	带螺纹 thread		64	H16B-LCU-1PG21G	8657270000
PG21	带螺纹 thread		79	H16B-LCUH-1PG21G	8657310000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H16B-CPR-4CO	8665260000



HK-042 插芯 HK-042 Inserts

690/250V, max.40/10A, H16B

6/36+ 




插芯 Inserts

螺钉联接



Screw terminal		
插芯 inserts	型号 tpye	订货号 order No.
公 male	HK6/36-042-M	8790180000
母 female	HK6/36-042-F	8790190000



重载连接器外壳 H16B

Hood & Housing SIZE H16B




插头外壳 Hood

插头外壳，侧面进线




Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UTCU-1M24G	8788180000
M24	带螺纹 thread		76	H16B-UTCUH-1M24G	8787010000
M33	带螺纹 thread		76	H16B-UTCUH-1M33G	8787000000
M40	带螺纹 thread		61	H16B-UTCU-1M40G	8809620000
PG21	带螺纹 thread		61	H16B-UTCU-1PG21G	8656480000
PG29	带螺纹 thread		76	H16B-UTCUH-1PG29G	8656540000




插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UPCU-1M24G	8788210000
M24	带螺纹 thread		76	H16B-UPCUH-1M24G	8787070000
M33	带螺纹 thread		76	H16B-UPCUH-1M33G	8787060000
PG21	带螺纹 thread		61	H16B-UPCU-1PG21G	8756590000
PG21	带螺纹 thread		76	H16B-UPCUH-1PG21G	8656630000
PG29	带螺纹 thread		76	H16B-UPCUH-1PG29G	8656650000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H16B-CNR-2RB	8665270000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29	H16B-BCU	8208600000
	带 with	47	H16B-BCCU	8210100000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H16B-TCU-2M24G	8788240000
M24	带螺纹 thread	带 with	84	H16B-TCUH-2M24G	8787120000
M33	带螺纹 thread		84	H16B-TCUH-2M33G	8787110000
PG21	带螺纹 thread		64	H16B-TCU-2PG21G	8656730000
PG21	带螺纹 thread		84	H16B-TCUH-2PG21G	8656810000
PG29	带螺纹 thread		84	H16B-TCUH-1PG29G	8656830000
PG29	带螺纹 thread		84	H16B-TCUH-2PG29G	8656840000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		79	H16B-LCUH-1M24G	8787200000
M33	带螺纹 thread		79	H16B-LCUH-1M33G	8787190000
PG21	带螺纹 thread		64	H16B-LCU-1PG21G	8657270000
PG21	带螺纹 thread		79	H16B-LCUH-1PG21G	8657310000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H16B-CPR-4CO	8665260000



HK-012插芯 HK-012Inserts

690/400V, max.80/16A, H24B

4/8+ 




插芯 Inserts

螺钉联接



Screw terminal		
插芯 inserts	型号 tpye	订货号 order No.
公 male	HK4/8-012-M	8790280000
母 female	HK4/8-012-F	8790290000



重载连接器外壳 H24B Hood & Housing SIZE H24B

插头外壳 Hood


插头外壳，侧面进线



插头外壳，顶部进线



防尘盖



Hood (side entry)




A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UTCU-1M24G	8787760000
M33	带螺纹 thread		61	H24B-UTCU-1M33G	8787750000
M24	带螺纹 thread		76	H24B-UTCUH-1M24G	8786780000
M33	带螺纹 thread		76	H24B-UTCUH-1M33G	8786770000
PG21	带螺纹 thread		61	H24B-UTCU-1PG21G	8661230000
PG21	带螺纹 thread		76	H24B-UTCUH-1PG21G	8661300000
PG29	带螺纹 thread		61	H24B-UTCU-1PG29G	8661240000

Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UPCU-1M24G	8787820000
M33	带螺纹 thread		61	H24B-UPCU-1M33G	8787810000
M33	带螺纹 thread		76	H24B-UPCUH-1M33G	8786830000
PG21	带螺纹 thread		61	H24B-UPCU-1PG21G	8661370000
PG21	带螺纹 thread		76	H24B-UPCUH-1PG21G	8661440000
PG29	带螺纹 thread		61	H24B-UPCU-1PG29G	8661380000
PG29	带螺纹 thread		76	H24B-UPCUH-1PG29G	8661460000

Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H24B-CNR-2RB	8665640000




底座 Housing

穿体式插座外壳



底座封闭型插座外壳



对接外壳



防尘盖



Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29.3	H24B-BCU	8212400000
带 with		51.3	H24B-BCCUH	8213300000

Housing (surface mount base)





A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H24B-TCU-2M24G	8787870000
M27	带螺纹 thread		84	H24B-TCUH-2M27G	8786890000
M33	带螺纹 thread		84	H24B-TCUH-2M33G	8786880000
M33	带螺纹 thread	带 with	84	H24B-TCCUH-2M33G	8786920000
PG21	带螺纹 thread		64	H24B-TCU-2PG21G	8661520000
PG21	带螺纹 thread		84	H24B-TCUH-2PG21G	8661590000
PG29	带螺纹 thread	带 with	84	H24B-TCCUH-2PG29G	8661630000

Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		65	H24B-LCU-1M24G	8787920000
M33	带螺纹 thread		79	H24B-LCUH-1M33G	8786960000
PG21	带螺纹 thread		65	H24B-LCU-1PG21G	8661730000
PG29	带螺纹 thread		79	H24B-LCUH-1PG29G	8661730000

Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H24B-CPR-4CO	8665630000



HK-012插芯 HK-012 Inserts

690/400V, max.100/16A, H24B

6/6+ 




插芯 Inserts

螺钉联接



Screw terminal		
插芯 inserts	型号 tpye	订货号 order No.
公 male	HK6/6-012-M	8790380000
母 female	HK6/6-012-F	8790390000



重载连接器外壳 H24B Hood & Housing SIZE H24B

插头外壳 Hood


插头外壳，侧面进线



插头外壳，顶部进线




防尘盖




Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UTCU-1M24G	8787760000
M33	带螺纹 thread		61	H24B-UTCU-1M33G	8787750000
M24	带螺纹 thread		76	H24B-UTCUH-1M24G	8786780000
M33	带螺纹 thread		76	H24B-UTCUH-1M33G	8786770000
PG21	带螺纹 thread		61	H24B-UTCU-1PG21G	8661230000
PG21	带螺纹 thread		76	H24B-UTCUH-1PG21G	8661300000
PG29	带螺纹 thread		61	H24B-UTCU-1PG29G	8661240000




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UPCU-1M24G	8787820000
M33	带螺纹 thread		61	H24B-UPCU-1M33G	8787810000
M33	带螺纹 thread		76	H24B-UPCUH-1M33G	8786830000
PG21	带螺纹 thread		61	H24B-UPCU-1PG21G	8661370000
PG21	带螺纹 thread		76	H24B-UPCUH-1PG21G	8661440000
PG29	带螺纹 thread		61	H24B-UPCU-1PG29G	8661380000
PG29	带螺纹 thread		76	H24B-UPCUH-1PG29G	8661460000



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H24B-CNR-2RB	8665640000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29.3	H24B-BCU	8212400000
带 with		51.3	H24B-BCCUH	8213300000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H24B-TCU-2M24G	8787870000
M27	带螺纹 thread		84	H24B-TCUH-2M27G	8786890000
M33	带螺纹 thread		84	H24B-TCUH-2M33G	8786880000
M33	带螺纹 thread	带 with	84	H24B-TCCUH-2M33G	8786920000
PG21	带螺纹 thread		64	H24B-TCU-2PG21G	8661520000
PG21	带螺纹 thread		84	H24B-TCUH-2PG21G	8661590000
PG29	带螺纹 thread	带 with	84	H24B-TCCUH-2PG29G	8661630000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		65	H24B-LCU-1M24G	8787920000
M33	带螺纹 thread		79	H24B-LCUH-1M33G	8786960000
PG21	带螺纹 thread		65	H24B-LCU-1PG21G	8661730000
PG29	带螺纹 thread		79	H24B-LCUH-1PG29G	8661730000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H24B-CPR-4CO	8665630000



HK-032插芯 HK-032 Inserts

400/250V, max.16/10A, H10B

8/24+ 




插芯 Inserts

螺钉联接



Screw terminal

插芯 inserts	型号 type	订货号 order No.
公 male	HK8/24-032-M	8790480000
母 female	HK8/24-032-F	8790490000



重载连接器外壳 H10B

Hood & Housing SIZE H10B

插头外壳 Hood


插头外壳，侧面进线



插头外壳，顶部进线




防尘盖




Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H10B-UTCU-1M20G	8787560000
M30	带螺纹 thread		52	H10B-UTCU-1M30G	8787550000
M24	带螺纹 thread		72	H10B-UTCUH-1M24G	8787240000
M33	带螺纹 thread		72	H10B-UTCUH-1M33G	8787230000
PG16	带螺纹 thread		52	H10B-UTCU-1PG16G	8654070000
PG21	带螺纹 thread		52	H10B-UTCU-1PG21G	8654090000
PG29	带螺纹 thread		72	H10B-UTCUH-1PG29G	8654170000




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		52	H10B-UPCU-1M20G	8787600000
M30	带螺纹 thread		52	H10B-UPCU-1M30G	8787590000
M24	带螺纹 thread		72	H10B-UPCUH-1M24G	8787300000
M33	带螺纹 thread		72	H10B-UPCUH-1M33G	8787290000
PG16	带螺纹 thread		52	H10B-UPCU-1PG16G	8654220000
PG21	带螺纹 thread		72	H10B-UPCU-1PG21G	8654240000
PG29	带螺纹 thread		72	H10B-UPCUH-1PG29G	8654320000



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H10B-CNR-2RB	8665240000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29.3	H10B-BCU	8205000000
带 with		51.6	H10B-BCCU	8206500000




底座封闭式插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M20	带螺纹 thread		57	H10B-TCU-2M20G	8787640000
M30	带螺纹 thread	带 with	57	H10B-TCCU-2M30G	8787630000
M24	带螺纹 thread		74	H10B-TCUH-2M24G	8787350000
M33	带螺纹 thread		74	H10B-TCUH-2M33G	8787360000
PG16	带螺纹 thread		57	H10B-TCU-2PG16G	8654380000
PG21	带螺纹 thread		74	H10B-TCUH-2PG21G	8654450000
PG29	带螺纹 thread		74	H10B-TCUH-1PG29G	8654470000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M30	带螺纹 thread		55	H10B-LCU-1M30G	8787720000
PG16	带螺纹 thread		55	H10B-LCU-1PG16G	8654580000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H10B-CPR-4CO	8665230000



HWK-010 插芯 HWK-010 Inserts


690V, max.35/16A, H16B

4/6+ 




插芯 Inserts

螺钉联接



Screw terminal		
插芯 inserts	型号 type	订货号 order No.
公 male	HWK4/6-010-M	8790580000
母 female	HWK4/6-010-F	8790590000



重载连接器外壳 H16B
Hood & Housing SIZE H16B


插头外壳 Hood

插头外壳，侧面进线



Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UTCU-1M24G	8788180000
M24	带螺纹 thread		76	H16B-UTCUH-1M24G	8787010000
M33	带螺纹 thread		76	H16B-UTCUH-1M33G	8787000000
M40	带螺纹 thread		61	H16B-UTCU-1M40G	8809620000
PG21	带螺纹 thread		61	H16B-UTCU-1PG21G	8656480000
PG29	带螺纹 thread		76	H16B-UTCUH-1PG29G	8656540000




插头外壳，顶部进线




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UPCU-1M24G	8788210000
M24	带螺纹 thread		76	H16B-UPCUH-1M24G	8787070000
M33	带螺纹 thread		76	H16B-UPCUH-1M33G	8787060000
PG21	带螺纹 thread		61	H16B-UPCU-1PG21G	8756590000
PG21	带螺纹 thread		76	H16B-UPCUH-1PG21G	8656630000
PG29	带螺纹 thread		76	H16B-UPCUH-1PG29G	8656650000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H16B-CNR-2RB	8665270000




底座 Housing

穿体式插座外壳




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29	H16B-BCU	8208600000
带 with		47	H16B-BCCU	8210100000




底座封闭型插座外壳



Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H16B-TCU-2M24G	8788240000
M24	带螺纹 thread	带 with	84	H16B-TCUH-2M24G	8787120000
M33	带螺纹 thread		84	H16B-TCUH-2M33G	8787110000
PG21	带螺纹 thread		64	H16B-TCU-2PG21G	8656730000
PG21	带螺纹 thread		84	H16B-TCUH-2PG21G	8656810000
PG29	带螺纹 thread		84	H16B-TCUH-1PG29G	8656830000
PG29	带螺纹 thread		84	H16B-TCUH-2PG29G	8656840000




对接外壳



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		79	H16B-LCUH-1M24G	8787200000
M33	带螺纹 thread		79	H16B-LCUH-1M33G	8787190000
PG21	带螺纹 thread		64	H16B-LCU-1PG21G	8657270000
PG21	带螺纹 thread		79	H16B-LCUH-1PG21G	8657310000




防尘盖



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H16B-CPR-4CO	8665260000



HWK-012 插芯 HWK-012 Inserts

690/400V, max.35/16A, H16B

6/6+ (⊕)




插芯 Inserts

螺钉联接



Screw terminal		
插芯 inserts	型号 type	订货号 order No.
公 male	HWK6/6-012-M	8790680000
母 female	HWK6/6-012-F	8790690000



重载连接器外壳 H16B
Hood & Housing SIZE H16B




插头外壳 Hood


插头外壳，侧面进线




A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UTCU-1M24G	8788180000
M24	带螺纹 thread		76	H16B-UTCUH-1M24G	8787010000
M33	带螺纹 thread		76	H16B-UTCUH-1M33G	8787000000
M40	带螺纹 thread		61	H16B-UTCU-1M40G	8809620000
PG21	带螺纹 thread		61	H16B-UTCU-1PG21G	8656480000
PG29	带螺纹 thread		76	H16B-UTCUH-1PG29G	8656540000




插头外壳，顶部进线




A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H16B-UPCU-1M24G	8788210000
M24	带螺纹 thread		76	H16B-UPCUH-1M24G	8787070000
M33	带螺纹 thread		76	H16B-UPCUH-1M33G	8787060000
PG21	带螺纹 thread		61	H16B-UPCU-1PG21G	8756590000
PG21	带螺纹 thread		76	H16B-UPCUH-1PG21G	8656630000
PG29	带螺纹 thread		76	H16B-UPCUH-1PG29G	8656650000



防尘盖



描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H16B-CNR-2RB	8665270000




底座 Housing


穿体式插座外壳




描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29	H16B-BCU	8208600000
带 with		47	H16B-BCCU	8210100000



底座封闭型插座外壳




A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H16B-TCU-2M24G	8788240000
M24	带螺纹 thread	带 with	84	H16B-TCUH-2M24G	8787120000
M33	带螺纹 thread		84	H16B-TCUH-2M33G	8787110000
PG21	带螺纹 thread		64	H16B-TCU-2PG21G	8656730000
PG21	带螺纹 thread		84	H16B-TCUH-2PG21G	8656810000
PG29	带螺纹 thread		84	H16B-TCUH-1PG29G	8656830000
PG29	带螺纹 thread		84	H16B-TCUH-2PG29G	8656840000



对接外壳




A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		79	H16B-LCUH-1M24G	8787200000
M33	带螺纹 thread		79	H16B-LCUH-1M33G	8787190000
PG21	带螺纹 thread		64	H16B-LCU-1PG21G	8657270000
PG21	带螺纹 thread		79	H16B-LCUH-1PG21G	8657310000



防尘盖




描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H16B-CPR-4CO	8665260000



HWK-012 插芯 HWK-012 Inserts


690/690/400V, max.100/40/16A, H24B

3/3/6+ 




插芯 Inserts

螺钉联接



Screw terminal

插芯 inserts	型号 tpye	订货号 order No.
公 male	HWK3/3/6-012-M	8790780000
母 female	HWK3/3/3-012-F	8790790000





重载连接器外壳 H24B
Hood & Housing SIZE H24B

插头外壳 Hood


插头外壳，侧面进线



插头外壳，顶部进线




防尘盖




Hood (side entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UTCU-1M24G	8787760000
M33	带螺纹 thread		61	H24B-UTCU-1M33G	8787750000
M24	带螺纹 thread		76	H24B-UTCUH-1M24G	8786780000
M33	带螺纹 thread		76	H24B-UTCUH-1M33G	8786770000
PG21	带螺纹 thread		61	H24B-UTCU-1PG21G	8661230000
PG21	带螺纹 thread		76	H24B-UTCUH-1PG21G	8661300000
PG29	带螺纹 thread		61	H24B-UTCU-1PG29G	8661240000




Hood (top entry)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		61	H24B-UPCU-1M24G	8787820000
M33	带螺纹 thread		61	H24B-UPCU-1M33G	8787810000
M33	带螺纹 thread		76	H24B-UPCUH-1M33G	8786830000
PG21	带螺纹 thread		61	H24B-UPCU-1PG21G	8661370000
PG21	带螺纹 thread		76	H24B-UPCUH-1PG21G	8661440000
PG29	带螺纹 thread		61	H24B-UPCU-1PG29G	8661380000
PG29	带螺纹 thread		76	H24B-UPCUH-1PG29G	8661460000



Cover

描述 detail	型号 tpye	订货号 order No.
用于插头外壳 for hood	H24B-CNR-2RB	8665640000




底座 Housing

穿体式插座外壳



底座封闭型插座外壳



对接外壳




防尘盖




Housing (panel mount base)

描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
		29.3	H24B-BCU	8212400000
带 with		51.3	H24B-BCCUH	8213300000




Housing (surface mount base)

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		64	H24B-TCU-2M24G	8787870000
M27	带螺纹 thread		84	H24B-TCUH-2M27G	8786890000
M33	带螺纹 thread		84	H24B-TCUH-2M33G	8786880000
M33	带螺纹 thread	带 with	84	H24B-TCCUH-2M33G	8786920000
PG21	带螺纹 thread		64	H24B-TCU-2PG21G	8661520000
PG21	带螺纹 thread		84	H24B-TCUH-2PG21G	8661590000
PG29	带螺纹 thread	带 with	84	H24B-TCCUH-2PG29G	8661630000



Cable to Cable

A	描述 detail	防尘盖 cover	B(mm)	型号 tpye	订货号 order No.
M24	带螺纹 thread		65	H24B-LCU-1M24G	8787920000
M33	带螺纹 thread		79	H24B-LCUH-1M33G	8786960000
PG21	带螺纹 thread		65	H24B-LCU-1PG21G	8661730000
PG29	带螺纹 thread		79	H24B-LCUH-1PG29G	8661730000



Cover

描述 detail	型号 tpye	订货号 order No.
用于插座外壳 for housing	H24B-CPR-4CO	8665630000

